

Home & Workshop Products



HOME & WORKSHOP PRODUCTS

November 2020

BUILT TO PERFORM AND BUILT TO LAST

John Deere Home and Workshop products are manufactured in the same tradition as all John Deere equipment, built to perform and built to last. Every machine, every accessory and every component is carefully engineered and rigorously tested.

Whether you purchase Home and Workshop products for your home or your business, you are getting equipment that has been manufactured to the highest degree of quality, by a team of people who are committed to excellence. And, you can depend on John Deere dealers to deliver unmatched customer service and support for the life of your purchase.

So, whatever products you choose, if it wears the John Deere name, you know you are getting the best built and most innovative equipment on the market today.



Triangle Truckbox
AC-3015TB-B



CONTENTS

Pressure Washers	4
Air Compressors	24
Air Tools	40
Compressorators™	56
Welderators™	64
Generators	72
Portable Heaters	82
Transfer Pumps	88
Wet/Dry Vacuums	94
Hand Tools	102
Sockets and Socket Sets	104
Tool Sets	117
Wrenches	119
Pliers and Cutting Tools	126
Screwdrivers, Screwdriver Sets and Nut Drivers	137
Measuring and Striking Tools	139
Pipe Wrenches	143
Pry Bars and Hacksaws	144
Workshop Accessories	145
Flashlights	150
Extension Cords & Lights	152
Shop Towels & Absorbents	154
Tool Storage	156
Tool Chests and Cabinets	158
Hand Carry Toolboxes	162
Road Boxes	163
Triangle Toolboxes	164
Gator™ Toolboxes	166
Truckboxes	167
Floor and Skid Mats	171
Jobsite Boxes	172
Grills	174

Accessories are included within each product section.

www.JohnDeere.com/HomeandWorkshop

POWERED by
HONDA™

Gas-powered 2800 PSI
Cold Water Pressure Washer
HR-2800GM



COLD WATER PRESSURE WASHERS

Offering a broad selection of pressure washers for commercial, business, farm and home use, John Deere pressure washers fit every need and price range. Each model is life and performance-tested to ensure they meet your expectations. Available in either electric-powered or gas-driven models, we offer three series of cold water pressure washers. Each is designed to meet a range of cleaning chores.

HR Series pressure washers are designed for the homeowner/residential market and will give you the best power for cleaning siding, decks, sidewalks, patios, and driveways. Use it to clean your garden equipment, vehicles, ATVs, and RVs so you can get on with your weekend.

PR Series pressure washers are designed for medium-duty washing and light commercial uses. These premium series washers have a higher PSI so they can withstand longer uses like cleaning fleets of vehicles and large areas of concrete, cleaning mud and muck much easier and quicker than units with a smaller PSI.

AC Series pressure washers are made for our agricultural and commercial customers who need rugged, high performance equipment for their most demanding jobs. Built to work all day, every day for heavy-duty applications, like keeping farm and construction equipment clean, this series of washers is perfect for industrial environments.



Gas-powered 2500 PSI
Cold Water Pressure Washer
AC-2500GH

PRESSURE WASHERS

HR SERIES

Our HR Series pressure washers are built with dependable, premium residential-grade engines or UL-listed electric motors that produce the perfect amount of power for cleaning around your home. Direct drive axial piston pumps ensure reliable performance with every use. Powder-coated steel frames and base plates help to keep your pressure washer looking and working like new for many years. Every unit carries a 1-year limited warranty, with a 2-year limited warranty on the 212cc John Deere-Branded OHV engine.

All HR Series gas models feature

- Convenient fold-down handle with hose wrap and wand holder
- Upright cart design for easy mobility
- Self-contained detergent tank
- 3 spray nozzles for a wide variety of cleaning tasks – 15°, 25° and detergent
- Low pressure detergent injector to apply recommended detergents
- 36-in. lance assembly with trigger gun

1400 PSI, Electric Hand-Carry

1.5 HP, 120V Motor

- 1.5 gallons per minute flow rate
- Totally enclosed fan-cooled electric motor, UL-listed
- 35-ft. power cord with GFCI
- Direct drive crankshaft pump
- Adjustable pressure unloader valve
- Thermal relief valve
- Low pressure detergent injector to apply recommended detergents
- 25-ft. x $\frac{3}{8}$ -in. high pressure hose with screw connect
- Adjustable 0-60° spray pattern



NEMA 5-15P
15-amp plug



HR-1400E

2600 PSI, Gas

160cc Honda GC Engine

- 2.3 gallons per minute flow rate
- Vertical shaft engine and pump
- 2 semi-pneumatic tires
- 30-ft. x $\frac{1}{4}$ -in. high pressure hose with screw connect

HR-2620GHV



2600 PSI, Gas

170cc John Deere-Branded OHV Engine

- 2.3 gallons per minute flow rate
- Vertical shaft engine and pump
- 2 semi-pneumatic tires
- 30-ft. x ¼-in. high pressure hose with screw connect

HR-2620GMV



2500 PSI, Gas

160cc Honda GC Engine

- 2.8 gallons per minute flow rate
- 2 semi-pneumatic tires
- 25-ft. x ¼-in. high pressure hose with screw connect

HR-2520GH



2800 PSI, Gas

- 2.7 gallons per minute flow rate
- 2 semi-pneumatic tires
- 30-ft. x ¼-in. high pressure hose with screw connect

HR-2800GM

212cc John Deere-Branded OHV Engine

HR-2800GH

187cc Honda GC Engine



PRESSURE WASHERS

PR SERIES

The PR Series pressure washers feature an industrial-grade engine to produce more cleaning power and are ideal for removing caked on dirt, mud, mold, and mildew. This series is widely used for commercial cleaning jobs. The cart-mount design with either a powder-coated steel or aluminum base plate, solid steel axles and flat-free tires make them easy to maneuver. This series comes with a 2-year limited warranty.

PR Series models feature

- Direct drive crankshaft pump with ceramic pistons
- Thermal relief valve to prevent the pump from overheating
- Convenient handles with hose wrap and wand holder
- 3 quick connect spray nozzles for a wide variety of cleaning tasks – 15°, 25° and detergent
- Low pressure detergent injector to apply recommended detergents
- 36-in. lance assembly with trigger gun (48-in. lance on PR-4200GMA and PR-4200GHA models)

3200 PSI, Gas, Steel Frame

- 2.7 gallons per minute flow rate
- Adjustable pressure unloader valve
- 50-ft. x $\frac{3}{8}$ -in. high pressure hose with quick connect

PR-3200GM

212cc John Deere-Branded OHV Engine

PR-3200GH

196cc Honda GX Engine



3200 PSI, Gas, Aluminum Frame

- 2.7 gallons per minute flow rate
- Adjustable pressure unloader valve
- 50-ft. x $\frac{3}{8}$ -in. high pressure hose with quick connect
- Patented vibration isolation plate with four rubber isolators

PR-3200GMA

212cc John Deere-Branded OHV Engine

PR-3200GHA

196cc Honda GX Engine



3800 PSI, Gas, Steel Frame

- 3.2 gallons per minute flow rate
- Adjustable unloader valve
- 50-ft. x $\frac{3}{8}$ -in. high pressure hose with quick connect

PR-3800GM

300cc John Deere-Branded OHV Engine

PR-3800GH

270cc Honda GX Engine



PRESSURE WASHERS

4200 PSI, Gas, Steel Frame

- 4.0 gallons per minute flow rate
- Adjustable unloader valve
- 50-ft. x $\frac{3}{8}$ -in. high pressure hose with quick connect

PR-4200GM

420cc John Deere-Branded OHV Engine

PR-4200GH

389cc Honda GX Engine



4200 PSI, Gas, Aluminum Frame

- 4.0 gallons per minute flow rate
- Adjustable unloader valve
- 50-ft. x $\frac{3}{8}$ -in. high pressure hose with quick connect
- Patented vibration isolation plate with four rubber isolators

PR-4200GMA

420cc John Deere-Branded OHV Engine

PR-4200GHA

389cc Honda GX Engine



AC SERIES

Our AC Series pressure washers are built with industrial Honda engines or UL-listed electric motors that can produce enough cleaning power for the most demanding jobs. Over-sized crankshaft pumps have ceramic pistons and extra oil capacity for industrial cleaning applications. These high-powered workhorses deliver performance on a routine basis and the powder-coated steel frames and base plates help to reduce vibration and noise and ensure long life. These units carry a 2-year limited warranty with a 5-year warranty on the pump.

All AC Series models feature

- Industrial-duty direct or belt drive crankshaft pump
- Thermal relief valve to prevent the pump from overheating
- Adjustable pressure unloader valve (fixed on AC-2500GH)
- Low pressure detergent injector to apply recommended detergents (except AC-1500E model)

1500 PSI, Electric Hand-Carry

2.0 HP, 120V Motor

- 2.0 gallons per minute flow rate
- Industrial electric motor, UL-listed
- 25-ft. x $\frac{3}{8}$ -in. high pressure hose with quick connect
- Adjustable 0-65° spray pattern

AC-1500E



NEMA 5-20P
20-amp plug



1500 PSI, Electric

2.0 HP, 120V Motor

- 2.0 gallons per minute flow rate
- Industrial electric motor, UL-listed
- 25-ft. x $\frac{3}{8}$ -in. high pressure hose with quick connect
- Adjustable 0-65° spray pattern

AC-1500E-C



NEMA 5-20P
20-amp plug



PRESSURE WASHERS

2500 PSI, Electric 6.0 HP, 230V Motor

- 3.2 gallons per minute flow rate
- Industrial electric motor, UL-listed
- 25-ft. x $\frac{3}{8}$ -in. high pressure hose with quick connects
- Quick connect nozzles – 15°, 25° and detergent



NEMA L6-30P
30-amp plug

AC-2500E



2700 PSI, Gas 196cc Honda GX Engine

- 2.4 gallons per minute flow rate
- 50-ft. x $\frac{3}{8}$ -in. high pressure hose with quick connects
- Quick connect nozzles – 15°, 25° and detergent
- 36-in. lance assembly with trigger gun

AC-2700GH



3300 PSI, Gas

389cc Honda GX Engine

- 3.3 gallons per minute flow rate
- 50-ft. x $\frac{3}{8}$ -in. high pressure hose with quick connects
- Quick connect nozzles – 15°, 25° and detergent
- 36-in. lance assembly with trigger gun

AC-3300GH



2500 PSI, Gas

389cc Honda GX Engine

- 4.4 gallons per minute flow rate
- $\frac{1}{4}$ -turn release belt guard allows for easy access to belts
- 50-ft. x $\frac{3}{8}$ -in. high pressure hose with quick connects
- Quick connect nozzles – 0°, 15°, 25°, and 40°
- 36-in. lance assembly with trigger gun
- External bypass hose

AC-2500GH



PRESSURE WASHERS

3500 PSI, Gas 389cc Honda GX Engine

- 3.7 gallons per minute flow rate
- ¼-turn release belt guard allows for easy access to belts
- 50-ft. x ¾-in. high pressure hose with quick connects
- Quick connect nozzles – 0°, 15°, 25°, and 40°
- 36-in. lance assembly with trigger gun

AC-3500GH



Cold Water Pressure Washer Specifications

Model No.	Pressure (PSI)	Flow (GPM)	Power Source	HP/CC	Pump	LxWxH (in.)	Net Weight (lb.)
HR SERIES							
HR-1400E	1400	1.5	Electric Motor 120V/13.5A	1.5 HP	Direct drive, crankshaft	14x11x10	45
HR-2620GHV	2600	2.3	Gas, Honda GC, Vertical shaft	160cc	Direct drive, axial	26x18x38	54
HR-2620GMV	2600	2.3	Gas, John Deere-Branded OHV, Vertical shaft	170cc	Direct drive, axial	26x18x38	54
HR-2520GH	2500	2.8	Gas, Honda GC	160cc	Direct drive, axial	37x21x24.5	75
HR-2800GH	2800	2.7	Gas, Honda GC	187cc	Direct drive, axial	37x21x24.5	75
HR-2800GM	2800	2.7	Gas, John Deere-Branded OHV	212cc	Direct drive, axial	37x21x24.5	75
PR SERIES							
PR-3200GH	3200	2.7	Gas, Honda GX	196cc	Direct drive, crankshaft	37x21x24.5	85
PR-3200GM	3200	2.7	Gas, John Deere-Branded OHV	212cc	Direct drive, crankshaft	37x21x24.5	85
PR-3200GHA	3200	2.7	Gas, Honda GX	196cc	Direct drive, crankshaft	37x21x24.5	73
PR-3200GMA	3200	2.7	Gas, John Deere-Branded OHV	212cc	Direct drive, crankshaft	37x21x24.5	73
PR-3800GH	3800	3.2	Gas, Honda GX	270cc	Direct drive, crankshaft	40x22.5x24.5	130
PR-3800GM	3800	3.2	Gas, John Deere-Branded OHV	300cc	Direct drive, crankshaft	40x22.5x24.5	130
PR-4200GH	4200	4.0	Gas, Honda GX	389cc	Direct drive, crankshaft	40x22.5x24.5	142
PR-4200GM	4200	4.0	Gas, John Deere-Branded OHV	420cc	Direct drive, crankshaft	40x22.5x24.5	142
PR-4200GHA	4200	4.0	Gas, Honda GX	389cc	Direct drive, crankshaft	40x22.5x24.5	125
PR-4200GMA	4200	4.0	Gas, John Deere-Branded OHV	420cc	Direct drive, crankshaft	40x22.5x24.5	125
AC SERIES							
AC-1500E	1500	2.0	Electric Motor, 120V/17.0A	2.0 HP	Direct drive, crankshaft	20x11.5x14	70
AC-1500E-C	1500	2.0	Electric Motor, 120V/17.0A	2.0 HP	Direct drive, crankshaft	37x21x24.5	90
AC-2500E	2500	3.2	Electric Motor, 230V/24.1A	6.0 HP	Direct drive, crankshaft	44x26x27	190
AC-2700GH	2700	2.4	Gas, Honda GX	196cc	Direct drive, crankshaft	37x21x24.5	85
AC-3300GH	3300	3.3	Gas, Honda GX	389cc	Direct drive, crankshaft	40x22.5x24.5	136
AC-2500GH	2500	4.4	Gas, Honda GX	389cc	Belt drive, crankshaft	37.5x22x25	216
AC-3500GH	3500	3.7	Gas, Honda GX	389cc	Belt drive, crankshaft	39.5x28.5x26	216

Note: AC-1500E and AC-1500E-C require a 20-amp plug and AC-2500E requires a 30-amp plug.

PSI and GPM may vary + or - 5% from specifications due to variances allowed by component suppliers.

Note: Warranty excludes normal wear items, such as, packings, valves, o-rings, etc.

GATORPAL™ (GP)

The Gatorpal is built with an industrial-grade Honda engine that produces dependable high performance power for cleaning stadiums, parking lots and other remote areas that do not have access to either power or water. The corrosion-resistant aluminum frame makes this unit extremely durable. It comes with a forklift accessible composite pallet for easy transport, 1-year limited warranty and a 5-year warranty on the belt drive crankshaft pump with adjustable pressure unloader valve.

3000 PSI, Gas

270cc Honda GX Engine

- 3.0 gallons per minute flow rate
- 65-gallon water tank for Gator™ models with higher load capacities[^]
- Thermal relief valve to prevent the pump from overheating
- 100-ft. x 3/8-in. non-marking hose with quick connect, swivel and bend restrictors and hose reel
- 36-in. lance with rubber grip and professional-grade insulated trigger gun with safety lock-off
- Quick connect nozzles – 0°, 15°, 25°, and 40°



GP-3000GH

GatorPal Specifications

Model No.	Pressure (PSI)	Flow (GPM)	Power Source	CC	Holding Tank	LxWxH (in.)	Net Weight (lb.) [^]
GP-3000GH	3000	3.0	Gas, Honda GX	270cc	65-gallon	41x46.25x35.625	334

[^]Be sure to check the load capacity of your Gator before selecting a GatorPal.
PSI and GPM may vary + or - 5% from specifications due to variances allowed by component suppliers.
Note: Warranty excludes normal wear items, such as, packings, valves, o-rings, etc.

HOT WATER PRESSURE WASHERS

The best tool for cleaning grease and grime from equipment, shop floors and machinery, John Deere hot water pressure washers are built to clean fast and efficiently. Engineered to the same standards as our cold water pressure washers, these units feature powder coated steel frames to hold up under the toughest conditions. Powered by either a UL-listed electric motor or a performance-proven gasoline engine, hot water pressure washers help you tackle the really tough jobs.

AC Series pressure washers are made for the toughest and most demanding jobs. High pressure and hot water cuts your cleaning time by 50-percent. Hot water pressure washers quickly loosen dirt, gum, grease, and oil from tires, tracks and undercarriages of tractors, excavators and other heavy equipment. These units are built to work all day, every day and are perfect for industrial environments.

Electric-powered 1500 PSI
Hot Water Pressure Washer
AC-1500EH





Gas-powered 3500 PSI
Hot Water Pressure Washer
AC-3500GHH

HOT WATER PRESSURE WASHERS

Our AC series hot water pressure washers are built with industrial Honda engines or UL-listed electric motors. The crankshaft pumps have ceramic pistons and thermal relief valves to extend the life of these units. Cleaning with high-pressure water heated to approximately 190-200°F is the best way to clean grime and grease from agricultural and industrial equipment and machinery. Our hot water units feature a 2-year limited warranty with a 3-year limited warranty on the coil and a 7-year limited warranty on the pump.

All AC Series models feature

- Energy efficient heat exchanger
- Top-fired burner design for better fuel efficiency, easy troubleshooting and maintenance
- High quality fuel filter/water separator ensures clean fuel supply
- No. 1 or No. 2 diesel or kerosene fired burner
- Coil drain to winterize and prevent freezing
- 50-ft. x 3/8-in. steel wire-braided pressure hose
- Adjustable pressure insulated dual lance and trigger gun
- CSA listed

Electric models feature

- Industrial electric motor, 35-ft. power cord with GFCI
- Adjustable pressure unloader valve
- High pressure detergent injector to apply recommended detergents

Gas models feature

- Industrial Honda GX engine

1500 PSI, Electric 2.0 HP, 120V Motor

- 2.0 gallons per minute flow rate
- Direct drive crankshaft pump
- Quick connect nozzles – 0°, 15°, 25°, and 40°

Options

- Steam: HX-0246
- Thermostat: HX-0233
- Hour meter: HX-0235
- Auto start/stop: HX-0231

AC-1500EH



NEMA 5-20P
20-amp plug



2000 PSI, Electric 4.0 HP, 230V Motor

- 2.8 gallons per minute flow rate
- Direct drive crankshaft pump
- Quick connect nozzles – 0°, 15°, 25°, and 40°

Options

- Thermostat: HX-0233
- Hour meter: HX-0235
- Steam: HX-0240
- Auto start/stop: HX-0242

AC-2000EH



NEMA 6-20P
20-amp plug



3000 PSI, Electric 8.0 HP, 230V Motor

- 3.5 gallons per minute low rate
- Belt drive crankshaft pump
- Quick connect nozzles – 0°, 15°, 25°, 40°, and detergent

Options

- Auto start/stop: HX-0070
- Auto start/stop-steam: HX-0072
- Auto start/stop-CAD cell: HX-0074
- Auto start/stop-steam-CAD cell: HX-0076
- Skid feet: HX-0088
- Hour meter: HX-0161
- Adjustable thermostat: HX-0294

AC-3000EH



NEMA 6-50P

50-amp plug



PRESSURE WASHERS

2500 PSI, Gas 196cc Honda GX Engine

- 2.6 gallons per minute flow rate
- Direct drive crankshaft pump
- Low pressure detergent injector
- Quick connect nozzles – 0°, 15°, 25°, and 40°

Options

- Thermostat: HX-0233
- Hour meter: HX-0236

AC-2500GHH



3500 PSI, Gas 389cc Honda GX Engine

- 3.3 gallons per minute flow rate
- Direct drive crankshaft pump
- Low pressure detergent injector
- Quick connect nozzles – 0°, 15°, 25°, 40°, and detergent

Options

- Adjustable thermostat, 250°F: HX-0250
- Hour meter: HX-0279
- Hour meter / adjustable thermostat, 250°F: HX-0281
- Electric start Honda engine. Battery and cables are included with option.

Note: Must be ordered with washer and cannot be added later: HX-0098

AC-3500GHH



Equipment Cover

- Heavy-duty all-weather cover
- Made from 600 denier vinyl-backed polyester
- To keep your pressure washer clean, dry and looking like new
- Drawstrings to secure cover
- Water resistant
- Dimensions: 48 x 24 x 32-in.

Fits all hot water pressure washers

AJ-1002



Hose Reel Options

50-0195 13-in. hose reel, 150-ft. maximum hose length
Fits all hot water models

852-0139 57-in. quick connect jumper hose
Fits AC-3000EH, AC-2500GHH and AC-3500GHH models

850-0278 85-in. quick connect jumper hose
Fits AC-1500EH and AC-2000EH models

AW-0050-0138 Universal mount bracket
Fits AC-1500EH, AC-2000EH and AC-2500GHH models



Hot Water Pressure Washer Specifications

Model No.	Pressure (PSI)	Flow (GPM)	Power Source	HP/CC	LxWxH (in.)	Net Weight (lb.)
AC-1500EH	1500	2.0	Electric Motor, 120V/19.0A	2.0 HP	43x29.5x36.5	299
AC-2000EH	2000	2.8	Electric Motor, 230V/18.0A	4.0 HP	43x29.5x36.5	316
AC-3000EH	3000	3.5	Electric Motor, 230V/36.0A	8.0 HP	49.5x28x40.5	607
AC-2500GHH	2500	2.6	Gas, Honda GX	196cc	43x29.5x36.5	295
AC-3500GHH	3500	3.3	Gas, Honda GX	389cc	43x30x41	428

PSI and GPM may vary + or - 5% from specifications due to variances allowed by component suppliers.
Note: Warranty excludes normal wear items, such as, packings, valves, o-rings, etc.

PRESSURE WASHER ACCESSORIES



Extension Hoses

When you need extra mobility and length.

23-ft. x 1/4-in. 3500 PSI extension hose with screw connects and bend restrictors, yellow
AWJ-0050-0176

50-ft. x 3/8-in. 4000 PSI non-marking extension hose with quick connects and bend restrictors, yellow
AWJ-0851-0338

25-ft. x 3/8-in. 4000 PSI non-marking extension hose with quick connects and bend restrictors, yellow
AWJ-0851-0341

50-ft. x 3/8-in. 4000 PSI extension hose with screw connects and bend restrictors, for hot water pressure washers, yellow
AWJ-0850-0199

50-ft. x 3/8-in. 4500 PSI extension hose with quick connects and bend restrictors, for hot water pressure washers, black
850-0433



Hose Reel

Allows for convenient storage of hoses on your equipment.

Hose reel – 150-ft.
50-0195



Trigger Guns

Our trigger guns are lightweight and easy to handle, yet feature an industrial and heavy-duty design.

Trigger gun – up to 4000 PSI
AWJ-0016-0001

Gun – 4500 PSI, 3/8-in. NPT
AWJ-0016-0441

Gun – 4500 PSI, 1/4-in. BSP-M
AWJ-0016-0442



Wands

Our wands are available in a variety of lengths to help you reach those hard to clean places.

21-in. lance with variable nozzle
AWJ-0016-0443

36-in. chrome wand with handle
AWJ-0016-0418

21 1/2 x 1/4-in. lance assembly with quick connect
AWJ-0016-0366



Power Broom

Perfect for cleaning decks, garage floors, sidewalks, and driveways. Includes three - 65° nozzles and quick connect fittings.

14-in. power broom – 3000 PSI
AWJ-7012-2503



Sandblaster

Ideal for removing coatings from steel and concrete surfaces. Can be used on rust, paint, stains, and graffiti.

Wet sandblaster attachment – carbide tip
AW-3000-0000



Connectors

1/4-in. F x 1/4-in. socket
AWJ-0017-0001

1/4-in. M x 1/4-in. plug
AWJ-0017-0002

3/8-in. F x 3/8-in. socket
AWJ-0017-0004

3/8-in. M x 3/8-in. plug
AWJ-0017-0005

3/8-in. F x 3/8-in. plug
AWJ-0017-0006

3/8-in. M x 3/8-in. socket
AWJ-0017-0007

1/4-in. F x 1/4-in. plug
AWJ-0017-0017

1/4-in. M x 1/4-in. socket
AWJ-0017-0028

1/4-in. M x 3/8-in. socket
AWJ-0017-0029



Quick Connect Nozzles

Orifice size is critical to pressure washer performance, match to original equipment.

Individual nozzles

65° chemical injector nozzle
AWJ-0018-0148

0° nozzle – 3.0 orifice
AWJ-0018-0302

15° nozzle – 3.0 orifice
AWJ-0018-0150

25° nozzle – 3.0 orifice
AWJ-0018-0303

40° nozzle – 3.0 orifice
AWJ-0018-0304

0° nozzle – 3.5 orifice
AWJ-0018-0257

15° nozzle – 3.5 orifice
AWJ-0018-0258

25° nozzle – 3.5 orifice
AWJ-0018-0259

40° nozzle – 3.5 orifice
AWJ-0018-0260

4-pack nozzles – 0°, 15°, 25°, and 40° nozzles

2.7 orifice
AWJ-4027-0000

3.0 orifice
AWJ-4003-0000

3.3 orifice
AWJ-4033-0000

3.5 orifice
AWJ-4035-0000

3.7 orifice
AWJ-4037-0000

4.0 orifice
AWJ-4004-0000

5.5 orifice
AWJ-4055-0000



Rotating Nozzles

Offers 0° spray impact with 25° coverage. Orifice size is critical to pressure washer performance, match to original equipment.

Rotating nozzle with quick connect – 3.0 orifice
AWJ-7510-0003

Rotating nozzle with quick connect – 3.5 orifice
AWJ-7510-0035

Rotating nozzle with lance – 21-in, 1.2mm orifice
AWJ-0018-0369



Detergent Injectors

Allows you to apply recommended detergents for your cleaning applications.

Low pressure chemical injector
AWJ-8400-0021

Can be used on cars, boats, engines, etc.

High pressure chemical injector
AWJ-0050-0161

Can be used on farm equipment, trailers, RVs, bridges, etc.



Pressure Washer Foamer

Combines high-pressure water mixed with detergent and air to produce long-lasting, thick clinging foam.

Pressure washer foamer with adjustable flow control
AWJ-0018-0459

Can be used on farm equipment, windows, roofs, siding, etc.



Detergents

John Deere has detergents to fit any cleaning application.

All-purpose cleaner – 1-gallon container, concentrated
AW-4018-JD01

Use on vehicles, glass, stainless-steel, aluminum, painted surfaces, and lawn equipment

Surface preparation – 1-gallon container, concentrated
AW-4034-JD01

Use on decks, homes and wooden surfaces

Heavy-duty degreaser – 1-gallon container, concentrated
AW-4059-JD01

Great for removal of oil and grease. For all your equipment and automotive needs



DEERE

HONDA
GX
8000

JOHN DEERE

AC2-8GH

PSI
EACH
100

WARNING INSTRUCTIONS

OPERATING INSTRUCTIONS

AIR COMPRESSORS

John Deere air compressors feature advanced engineering to ensure reliable power for small jobs around your home and big jobs around a shop or on a jobsite where compressed air is a required utility. Offering three series of air compressors with a wide range of CFM, horsepower and tank capacities, you can power everything from impact wrenches to drills, grinders and paint guns.

HR Series air compressors are powered by CSA-listed electric motors and are ideal for the home garage. These portable units are the perfect size for operating small air tools such as a nail gun or paint sprayer and inflating toys to tires. Featuring Quiet Technology, the new oil-less models are 80% quieter than standard models and are powered by high performance induction motors. Take the small hand-carry models wherever electricity is available and if you need more air storage, consider the space-saving vertical models with a 20-gallon tank. They are still portable but hold enough compressed air to make even bigger jobs easy.

PR Series air compressors feature 8-gallon twin tank receivers and are perfect for the commercial contractor and large property owner. This is a popular size because of the ease of portability and low profile design which virtually eliminates roll over potential in a truck bed. This air compressor's lasting power source is perfect for jobs where electricity is not available to run air tools like brad nailers and staplers.

AC Series air compressors are available in single- and two-stage models. They are designed for tough jobs and are powerful enough to run various air tools at once, such as air hammers, die grinders, impact wrenches, and nail guns. These units have many features and come in many sizes ranging from 5-gallons to 80-gallons. Stationary models can be installed out of the way in a shop or on service vehicles, while their portable counterparts are built so they are easy to transport but still maintain the power needed for the really big jobs.

Gas-powered Two-stage
Air Compressor
AC2-8GH

Gas-powered
Two-stage Air
Compressor
AC2-30GMS



HR SERIES

Our HR series of air compressors are powered by CSA-listed electric motors. Choose from either the single-stage oil-less compressor pump models or the single-stage oil-lubricated aluminum pump models. Whichever you choose, these air compressors are built for durability and come with a cast iron cylinder and heavy-duty steel frame. The new oil-less models feature high performance induction motors with "Quiet Technology" - significantly quieter than John Deere gas powered air compressors. All feature the high-gloss powder-coated finish in the recognizable John Deere green and come with a 1-year limited warranty.

All HR Series models feature

- Canister intake filter (HR1-20Q features dual canister intake filters)
- Regulator and two gauges for tank and outlet pressure
- Auto start/stop control set at 95-125 PSI
- Drain valves and pressure relief valve
- Quick connect fittings
- Rubber isolators

2.5-Gallon, Single-Stage, Electric Hand-Carry, Oil-less

1.0 HP, 120V Induction Motor

- 2.4 CFM @ 90 PSI
- Compact and portable tank design
- 2.5-gallon receiver tank



NEMA 5-15P
15-amp plug

HR1-2Q

20-Gallon, Single-Stage, Electric, Oil-less

1.5 HP, 120V Induction Motor

- 4.0 CFM @ 90 PSI
- Upright portable design
- 20-gallon receiver tank
- 2 semi-pneumatic tires



NEMA 5-15P
15-amp plug

HR1-20Q

5-Gallon, Single-Stage, Electric Hand-Carry

2.0 HP, 120V Motor

- 4.1 CFM @ 100 PSI
- Compact and portable twin-tank design
- 5-gallon twin-tank receivers, side stack
- Protective pump/motor housing

HR1-5E



NEMA 5-15P
15-amp plug



20-Gallon, Single-Stage, Electric

2.0 HP, 120V Motor

- 4.1 CFM @ 100 PSI
- Upright portable design
- 20-gallon receiver tank
- 2 semi-pneumatic tires

HR1-20E



NEMA 5-15P
15-amp plug



PR SERIES

The popular 8-gallon, single- or two-stage, gas-powered, medium-duty air compressor makes up the PR Series. It comes equipped with a 10- or 16½-inch flywheel for extra cooling and longer life, a cast iron cylinder, and splash-lubricated cast iron crankcase. The 8-gallon twin-tank receivers are powder-coated in high-gloss John Deere green. This unit carries a 1-year limited warranty and 2-year limited warranty on the engine.

8-Gallon, Single-Stage, Gas 212cc John Deere-Branded OHV Engine

- 7.5 CFM @ 100 PSI
- Canister intake filter
- Convenient lifting handles
- 7-gauge base plate to reduce vibration
- Flat-free tire with tube and steel hub
- Idle control with continuous run
- Regulator and two gauges for tank and outlet pressure
- Manual drain valves for proper maintenance

PR1-8GM



8-Gallon, Two-Stage, Gas 300cc John Deere-Branded OHV Engine

- 17.2 CFM @ 175 PSI
- Canister intake filter
- Convenient lifting handles
- 7-gauge base plate to reduce vibration
- Flat-free tires with tubes and steel hubs
- Idle control with continuous run
- Regulator and two gauges for tank and outlet pressure
- Manual drain valves for proper maintenance

PR2-8GM



AC SERIES

You'll find a wide range of air compressor models in our AC Series. This selection features powerful, efficient single- or two-stage compressors that are designed to maximize your productivity and can be used to power a multitude of air tools. These compressors are powered by either a Honda or John Deere-Branded gasoline engine, a Kohler OHV diesel engine or a CSA listed electric motor. Cast iron cylinders and canister intake filters come standard along with a 2-year limited warranty.

Gas models feature

- Idle control with continuous run
- Regulator and two gauges for tank and outlet pressure

8, 20, 30 & 80-gallon models feature

- Splash-lubricated cast iron crankcase
- Cast iron head for heat dissipation
- 7-gauge base plate to reduce vibration
- Convenient lifting handles (portable models)
- Super-duty flat-free tires with tubes and steel hubs (portable models)
- Manual drain valves for proper maintenance
- 16½-in. flywheel for extra cooling and longer life (two-stage models)

5-Gallon, Single-Stage, Gas Hand-Carry

118cc Honda GX Engine

- 4.4 CFM @ 100 PSI
- Splash-lubricated aluminum crankcase
- Aluminum head for heat dissipation
- Compact and portable twin-tank design
- 5-gallon twin-tank receivers
- Powder-coated steel frame design
- Rubber isolators
- Drain valves and pressure relief valve
- Quick connect fittings

AC1-5GH



AIR COMPRESSORS

8-Gallon, Single-Stage, Gas 196cc Honda GX Engine

- 13.1 CFM @ 100 PSI
- Powder-coated 8-gallon twin-tank receivers
- 10-in. flywheel for extra cooling and longer life

AC1-8GH



20-Gallon, Single-Stage, Gas 196cc Honda GX Engine

- 13.1 CFM @ 100 PSI
- Powder-coated ASME coded 20-gallon receiver tank
- 12-in. flywheel for extra cooling and longer life

AC1-20GH



8-Gallon, Two-Stage, Gas 270cc Honda GX Engine

- 17.2 CFM @ 175 PSI
- Powder-coated 8-gallon twin-tank receivers

Option

- Electric start Honda engine. Battery, box and cables not included. **Note:** Must be ordered with AC2-8GH compressor and cannot be added later: AX-0015

AC2-8GH



20-Gallon, Two-Stage, Gas 270cc Honda GX Engine

- 17.2 CFM @ 175 PSI
- Powder-coated ASME coded 20-gallon receiver tank

Option

- Electric start Honda engine. Battery, box and cables not included. **Note:** Must be ordered with AC2-20GH compressor and cannot be added later: AX-0015

AC2-20GH



AIR COMPRESSORS

20-Gallon, Two-Stage, Gas 270cc Honda GX Engine

- 17.2 CFM @ 175 PSI
- Powder-coated ASME coded 20-gallon receiver tank

Options

- Stationary truck mount kit, must be used when installing in truck bed: **854-0093**
- Electric start Honda engine. Battery, box and cables not included. **Note:** Must be ordered with AC2-20GHS compressor and cannot be added later: **AX-0015**

AC2-20GHS



30-Gallon, Two-Stage, Gas 389cc Honda GX Engine

- 29.0 CFM @ 175 PSI
- Powder-coated ASME coded 30-gallon receiver tank
- Electric start standard, battery and cables not included
- Stationary truck mount kit standard, must be used when installing in truck bed

AC2-30GHS



30-Gallon, Two-Stage, Gas

420cc John Deere-Branded OHV Engine

- 29.0 CFM @ 175 PSI
- Powder-coated ASME coded 30-gallon receiver tank
- Electric start standard, battery and cables not included
- Stationary truck mount kit standard, must be used when installing in truck bed

AC2-30GMS



30-Gallon, Two-Stage, Diesel

9.1 HP Kohler OHV Engine

- 29.0 CFM @ 175 PSI
- Powder-coated ASME coded 30-gallon receiver tank
- Electric start standard, battery, box and cables not included
- Glow plug equipped engine for easy starting in cold temperatures

Option

- Stationary truck mount kit, must be used when installing in truck bed: **854-0093**

AC2-30KDS



80-Gallon, Two-Stage, Electric 5.0 HP, 230V Motor

- 16.9 CFM @ 175 PSI
- Electric motor, CSA listed
- 230V single phase 60 Hz
- Splash-lubricated cast iron crankcase
- Cast iron compressor
- Powder-coated ASME coded 80-gallon receiver tank
- Auto start/stop
- 12-in. flywheel for extra cooling and longer life
- Tank pressure gauge
- Magnetic starter with mounting box and wire
- Manual drain valves for proper maintenance

Option

- Pneumatic tank drain: IX-0051

AC2-80ES



80-Gallon, Two-Stage, Electric 7.5 HP, 230V Motor

- 23.5 CFM @ 175 PSI
- Electric motor, CSA listed
- 230V single phase 60 Hz
- Splash-lubricated cast iron crankcase
- Cast iron compressor
- Powder-coated ASME coded 80-gallon receiver tank
- Auto start/stop
- 12-in. flywheel for extra cooling and longer life
- Tank pressure gauge
- Magnetic starter with mounting box and wire
- Manual drain valves for proper maintenance

Option

- Pneumatic tank drain: IX-0051

AC2-80ES-1



Equipment Covers

- Heavy-duty all-weather cover
- Made from 600 denier vinyl-backed polyester
- To keep your air compressor clean, dry and looking like new
- Drawstrings to secure cover
- Water resistant

Two sizes available

- Dimensions: 22.25 x 18 x 22.25-in., fits model AC1-5GH: **AJ-1005**
- Dimensions: 48 x 24 x 32-in., fits 8, 20 and 30-gallon models: **AJ-1002**



Air Compressor Specifications

Model No.	Pressure (PSI)	Flow (CFM)	Power Source	HP/CC	Stage	LxWxH (in.)	Net Weight (lb.)
HR SERIES							
HR1-2Q	90	2.4	Electric Motor, 120V/15.0A	1.0 HP	Single	15.7x15.5x14.7	45
HR1-20Q	90	4.0	Electric Motor, 120V/15.0A	1.5 HP	Single	21.3x17.4x41.2	109
HR1-5E	100	4.1	Electric Motor, 120V/15.0A	2.0 HP	Single	20.5x15.5x17.5	56
HR1-20E	100	4.1	Electric Motor, 120V/15.0A	2.0 HP	Single	20.5x21x42.5	104
PR SERIES							
PR1-8GM	100	7.5	Gas, John Deere-Branded OHV	212cc	Single	44.5x18.5x26	171
PR2-8GM	175*	17.2	Gas, John Deere-Branded OHV	300cc	Two	44x26x31	260
AC SERIES							
AC1-5GH	100	4.4	Gas, Honda GX	118cc	Single	21.5x17.5x21.75	79
AC1-8GH	100	13.1	Gas, Honda GX	196cc	Single	44.5x18.5x26	175
AC1-20GH	100	13.1	Gas, Honda GX	196cc	Single	44.5x23.5x33	212
AC2-8GH	175*	17.2	Gas, Honda GX	270cc	Two	44x26x31	260
AC2-20GH	175*	17.2	Gas, Honda GX	270cc	Two	46x26x39.5	306
AC2-20GHS	175*	17.2	Gas, Honda GX	270cc	Two	37x18x38	306
AC2-30GHS	175*	29.0	Gas, Honda GX	389cc	Two	42x19x45	494
AC2-30GMS	175*	29.0	Gas, John Deere-Branded OHV	420cc	Two	38x23x45	494
AC2-30KDS	175*	29.0	Diesel, Kohler OHV	9.1 HP	Two	42x23x46.5	506
AC2-80ES	175	16.9	Electric Motor, 230V/23.0A	5.0 HP	Two	34x26x73	465
AC2-80ES-1	175	23.5	Electric Motor, 230V/31.0A	7.5 HP	Two	38x26x73	709

*Equipped with 150 PSI maximum rated regulator.



Air Hoses

24-in. leader hose with swivel
AWJ-0015-0229

25-ft. x $\frac{3}{8}$ -in. PVC
AWJ-0015-0231

25-ft. x $\frac{3}{8}$ -in. Hybrid polymer with
black anodized aluminum $\frac{1}{4}$ -in.
NPT fittings
AWJ-0015-0327

50-ft. x $\frac{3}{8}$ -in. Hybrid polymer with
black anodized aluminum $\frac{1}{4}$ -in.
NPT fittings
AWJ-0015-0328



Hose Reels

Retractable hose reel with 50-ft. x
 $\frac{3}{8}$ -in. hybrid polymer air hose and
3-ft. lead-in hose
AT-4803-J

Retractable Pro Series hose reel with
level-wind system and 50-ft. x $\frac{3}{8}$ -in.
hybrid polymer air hose and 5-ft.
lead-in hose
AT-4804-J

Speedy hose reel with 50-ft. x $\frac{3}{8}$ -in.
hybrid polymer air hose
AT-4807-J



Bulk Hose Spools

Spool includes 250-ft. x $\frac{1}{2}$ -in. hybrid
polymer air hose; does not include
fittings and hose ends
AT-4805-J

Spool includes 250-ft. x $\frac{3}{8}$ -in. hybrid
polymer air hose; does not include
fittings and hose ends
AT-4806-J



Reusable Fittings

$\frac{3}{8}$ -in. reusable end, anodized aircraft
aluminum fitting
AT-4808-J

$\frac{1}{2}$ -in. reusable end, anodized aircraft
aluminum fitting
AT-4809-J



Reusable Splicers

$\frac{3}{8}$ -in. reusable splicer, anodized
aircraft aluminum fitting
AT-4810-J

$\frac{1}{2}$ -in. reusable splicer, anodized
aircraft aluminum fitting
AT-4811-J



High Flow Couplers

$\frac{1}{4}$ -in. body x $\frac{1}{4}$ -in. FNPT
AT-4013-J

$\frac{1}{4}$ -in. body x $\frac{3}{8}$ -in. FNPT
AT-4018-J

$\frac{1}{4}$ -in. body x $\frac{1}{4}$ -in. MNPT
AT-4021-J

$\frac{1}{4}$ -in. body x $\frac{3}{8}$ -in. MNPT
AT-4023-J



High Flow Plugs

$\frac{1}{4}$ -in. body x $\frac{1}{4}$ -in. MNPT
AT-4014-J

$\frac{1}{4}$ -in. body x $\frac{1}{4}$ -in. MNPT, swivel
AT-4015-J

$\frac{1}{4}$ -in. body x $\frac{3}{8}$ -in. MNPT
AT-4019-J

$\frac{1}{4}$ -in. body x $\frac{1}{4}$ -in. FNPT, 2 pack
AT-4022-J

$\frac{1}{4}$ -in. body x $\frac{3}{8}$ -in. FNPT, 2 pack
AT-4024-J



High Flow Coupler/Plug Kits

$\frac{1}{4}$ -in. body x $\frac{1}{4}$ -in. NPT, 3-piece kit
AT-4016-J

$\frac{1}{4}$ -in. body x $\frac{1}{4}$ -in. NPT, 7-piece kit
AT-4017-J

$\frac{1}{4}$ -in. body x $\frac{3}{8}$ -in. NPT, 7-piece kit
AT-4020-J

AIR COMPRESSOR ACCESSORIES



Couplers

1/4-in. MNPT industrial interchange style
AWJ-0017-0043

1/4-in. MNPT automotive style
AWJ-0017-0044

1/4-in. FNPT industrial interchange style
AWJ-0017-0045

1/4-in. FNPT automotive style
AWJ-0017-0046

1/4-in. FNPT Lincoln style
AWJ-0017-0047

1/4-in. FNPT ARO style
AWJ-0017-0048

Coupler test bar
AWJ-0017-4952



Coupler/Plug Sets

1/4-in. FNPT coupler /
1/4-in. MNPT plug
industrial interchange style
AWJ-0017-0045K

1/4-in. FNPT coupler /
1/4-in. MNPT plug
automotive style
AWJ-0017-0046K



Plugs

1/4-in. MNPT industrial interchange style
AWJ-0017-0049

1/4-in. MNPT automotive style
AWJ-0017-0050

1/4-in. MNPT Lincoln style
AWJ-0017-0051

1/4-in. MNPT ARO style
AWJ-0017-0052

1/4-in. FNPT industrial interchange style
AWJ-0017-0053

1/4-in. FNPT automotive style
AWJ-0017-0054

1/4-in. FNPT Lincoln style
AWJ-0017-0055

1/4-in. FNPT ARO style
AWJ-0017-0056



Air/Liquid Adapter Kit

For filling tires with liquid
AWJ-0023-0414



Air Accessory Kit

Includes 25-ft. air hose, blow gun with rubber nozzle, ball foot air chuck, 1/4-in. plugs (2 male - 1 female) and 1/4-in. coupler (female)
AWJ-9301-AT02



Fittings

Brass coupling
1/4-in. FNPT x 1/4-in. FNPT
AWJ-0023-0002

Barbed hose fitting
1/4-in. MNPT fits 1/4-in. ID hose
AWJ-0023-0051

Barbed hose fitting
1/4-in. MNPT fits 3/8-in. ID hose
AWJ-0023-0069

Brass coupling
1/4-in. MNPT x 1/4-in. MNPT
AWJ-0023-0103

Barbed hose splicer fits 1/4-in. ID hose
AWJ-0023-0415

Barbed hose splicer fits 3/8-in. ID hose
AWJ-0023-0416



Chucks

Dual-foot direct air-line chuck
1/4-in. FNPT
AWJ-00AT-3001

Ball-foot direct air-line chuck
1/4-in. FNPT
AWJ-00AT-3002

Deluxe inflator gauge with
12-in. hose, 12-120 PSI
AWJ-00AT-3003



In-line Regulators

$\frac{3}{8}$ -in. regulator with gauge
AWJ-0022-0231

$\frac{1}{4}$ -in. mini regulator with gauge
AWJ-0022-0326



Filters

$\frac{1}{4}$ -in. poly bowl with bowl guard
and manual drain
AT-4004-J

$\frac{1}{2}$ -in. metal bowl with sight glass
and manual drain
AT-4005-J

$\frac{3}{8}$ -in. poly bowl with bowl guard
and manual drain
AT-4006-J

Disposable in-line filter
AWJ-00AT-4007

Air tool filter
AWJ-00AT-4008



In-line Lubricators

$\frac{1}{4}$ -in. poly bowl with bowl guard
AT-4009-J

$\frac{3}{8}$ -in. poly bowl with bowl guard
AT-4010-J



Blowguns

Blowgun with standard rubber nozzle
AWJ-00AT-3004

Blowgun with safety nozzle
AWJ-00AT-3005

12-in. blowgun with standard
rubber nozzle
AWJ-00AT-3007

24-in. blowgun with standard
rubber nozzle
AWJ-00AT-3008

48-in. blowgun with standard
rubber nozzle
AWJ-00AT-3009

Blow gun replacement rubber tip
18-0372



Air Gun

With cone tip, Quiet-Flo nozzle,
 $\frac{1}{4}$ -in. NPT inlet, large storage hook
AT-3002-J



Extension Tube

12-in., $\frac{1}{2}$ -in.-20 UNF male thread,
compatible with AT-3002-J air gun
AT-3001-J



Also Available

$\frac{3}{8}$ -in. filter/regulator poly bowl
with manual drain
AT-4011-J

$\frac{1}{4}$ -in. automatic electric-
compressor drain
AT-4012-J

In-line oiler – .2 oz. oil capacity
AWJ-00AT-4001

In-line oiler – 2.6 oz. oil capacity
AT-4002

Air tool oil – 4.0 oz. - 6 per case
AT-4003-J



½-in. Angle Air
Impact Wrench
AT-3121-J

AIR TOOLS

When your job calls for an air tool, John Deere has just what you need, including impact wrenches, drills, air grinders and hundreds of accessories. Ideal for farm work or construction projects, John Deere air tools will help you get the job done quickly and efficiently. All tools feature a 2-year limited warranty.

Add more capability and power to your workshop with John Deere's wide range of air tools. Wrenches, drills, grinders and more—all get an ample dose of power to get tough jobs done. These air tools are a great balance of power and portability and will help you get the tough jobs done with a little effort and a lot of precision.

4-in. Angle Grinder
AT-3310-J



3/8-inch Butterfly Impact Wrench

- Instant forward/reverse with butterfly throttle
- Compact size for access in tight areas
- Multi-step power regulator for added versatility

AT-3113-J



3/8-inch Short Impact Wrench

- Lightweight composite housing
- Contoured comfort grip and handle exhaust
- Magnesium anvil housing protects internal components
- Ring-type retainer for fast socket changes

AT-3116-J



3/8-inch Short Impact Wrench

- 3-mode power setting for forward/reverse
- One-handed operation
- Rubber bumpers for durability
- 360° rotatable air inlet

AT-3118-J



1/2-inch Short Heavy-duty Impact Wrench

- Dynapact clutch for high-torque output
- 3-piece housing for easy maintenance
- Steel anvil housing protects internal components
- Ring-type retainer for fast socket changes

AT-3114-J



1/2-inch Short Heavy-duty Impact Wrench

- 3-mode power setting for forward/reverse
- One-handed operation
- Rubber bumpers for durability
- 360° rotatable air inlet

AT-3119-J



3/4-inch High-torque Impact Wrench

- Dynapact clutch for high-torque output
- 3-piece housing for easy maintenance
- Steel anvil housing protects internal components
- Ring-type retainer for fast socket changes

AT-3115-J



1/2-inch Pistol Impact Wrench

- 800-ft. lb. torque
- Lightweight composite housing
- Contoured comfort grip and handle exhaust
- Magnesium anvil housing protects internal components
- Ring-type retainer for fast socket changes
- 3/4-in. bolt capacity
- Built-in power regulator for convenient output adjustment

AT-3117-J



1/2-inch Heavy-duty Air Impact Wrench

- 1000-ft. lb. torque
- 3 positive power settings
- Excellent power to weight ratio
- Ergonomic handle offers user comfort and reduces operation fatigue

AT-3122-J



3/8-inch Angle Air Impact Wrench

- 250-ft. lb. torque
- Gearless angle head reduces vibration by 50% and increases torque output by 20%
- Easy access in confined spaces, short and stubby design
- Low reaction force
- 360° swivel exhaust deflector
- Jumbo hammer mechanism

AT-3120-J



1/2-inch Angle Air Impact Wrench

- 300-ft. lb. torque
- Gearless angle head reduces vibration by 50% and increases torque output by 20%
- Easy access in confined spaces, short and stubby design
- Low reaction force
- 360° swivel exhaust deflector
- Jumbo hammer mechanism

AT-3121 -J



Impact Wrench Specifications

Model No.	Operating Speed (RPM)	Operating Pressure (PSI)	Max. Torque (ft. lb.)	Drive Size (in. sq.)	Impacts per Minute (IPM)	Air Inlet (in. NPT)	Air Consumption (CFM)	Net Weight (lb.)
AT-3113-J	11,000	90	70	3/8	1,800	1/4	3	2
AT-3116-J	6,500	90	300	3/8	1,287	1/4	2.5	6 1/8
AT-3118-J	8,000	90	350	3/8	1,217	1/4	3.4	3
AT-3114-J	10,000	90	500	1/2	1,250	1/4	4.7	6 1/8
AT-3119-J	9,500	90	500	1/2	1,334	1/4	5.0	3
AT-3115-J	6,000	90	1,100	3/4	1,800	3/8	7.5	9
AT-3117-J	9,500	90	800	1/2	1,200	1/4	6.5	4 1/4
AT-3122-J	9,500	90	1000	1/2	1,438	1/4	7.3	5
AT-3120-J	6,500	90	250	3/8	1,285	1/4	4.2	3
AT-3121-J	6,500	90	300	1/2	1,284	1/4	4.2	3

1/4-inch Power Ratchet Wrench

- Unique 1/4-in. drive for use on small fasteners
- Steel ratchet housing for long life
- Triple-idler gear design for smooth operation

AT-3205-J



1/2-inch Power Ratchet Wrench

- Extended tool length provides increased leverage
- Steel ratchet housing for long life
- Front exhaust directs air away from operator

AT-3206-J



3/8-inch Power Ratchet Wrench

- Lever-type throttle for convenient operation
- Positionable exhaust directs air away from operator
- Ball-type socket retainer for quick and easy socket removal
- Contoured handle for comfort

AT-3207-J



Power Ratchet Wrench Specifications

Model No.	Operating Speed (RPM)	Operating Pressure (PSI)	Max. Torque (ft. lb.)	Drive Size (in. sq.)	Hose Fitting (in. I.D.)	Air Inlet (in. NPT)	Air Consumption (CFM)	Net Weight (lb.)
AT-3205-J	150	90	18	1/4	3/8	1/4	3	1 1/4
AT-3206-J	175	90	75	1/2	3/8	1/4	4	4 1/2
AT-3207-J	200	90	60	3/8	3/8	1/4	3	2 1/2

1/4-inch Die Grinder Kit

- Rear exhaust reduces chip blow-back
- Lock-off lever prevents accidental starts
- Kit includes: die grinder with collet wrenches, 1/8-in. collet insert, five 1/4-in. and five 1/8-in. grinding stones

AT-3309-JK



4-inch Angle Grinder

- Uses type 27 depressed-center wheel, 4 x 1/4 x 5/8-in.
- 1/8-in., 24-spindle size
- 3/4-HP output
- Governor controlled to maintain wheel RPM under load
- Spiral bevel gears for smooth operation
- Includes side handle for increased operator control

AT-3310-J



1/4-inch Right-Angle Die Grinder

- Angle-head design allows access to confined areas
- Rear exhaust prevents chip blow-back
- High speed for fast material removal

AT-3311-J



Grinder Specifications

Model No.	Operating Speed (RPM)	Operating Pressure (PSI)	Collet Size (in.)	Air Inlet (in. NPT)	Air Consumption (CFM)	Net Weight (lb.)
AT-3309-JK	25,000	90	1/4	1/4	4	1 1/2
AT-3310-J	11,000	90	–	1/4	5	4
AT-3311-J	25,500	90	1/4	1/4	4	1

Air Hammer Kit

- Uses standard .401-in. tapered shank chisels
- Heat-treated steel piston and barrel for long life
- Fast chisel changes with quick change retainer
- 1½-in. bore diameter
- Kit includes:
 - Air hammer
 - Panel cutter, AT-3704 (A)
 - Spot-weld splitter, AT-4705 (B)
 - Cold chisel, AT-4706 (C)
 - Single blade panel cutter, AT-4707 (D)
 - Tapered punch, AT-4704 (E)



AT-3705-JK

Long-Barrel Air Hammer Kit

- Uses standard .401-in. tapered shank chisels
- Long barrel provides extra power for more demanding jobs
- Heat-treated steel piston and barrel for long life
- Fast chisel changes with quick change retainer
- Kit includes:
 - Air hammer
 - Single blade panel cutter, AT-4707 (A)
 - Tapered punch, AT-4704 (B)
 - Cold chisel, AT-4706 (C)
 - Spot-weld splitter, AT-4705 (D)
 - Panel cutter, AT-3704 (E)



AT-3706-JK

Air Hammer Specifications

Model No.	Blows per Minute	Operating Pressure (PSI)	Stroke Length (in.)	Air Inlet (in. NPT)	Air Consumption (CFM)	Net Weight (lb.)
AT-3705-JK	2,100	90	2⅝	¼	4	3
AT-3706-JK	2,100	90	3½	¼	4	4½

3/8-inch Reversible Drill

- 3-way planetary gearing for smooth operation
- Thumb-operated forward/reverse switch
- Through-handle exhaust reduces noise and chip fly-back

AT-3503-J



1/2-inch Reversible Drill

- Powerful 3/4 HP motor to prevent stall under load
- Side handle for increased operator control
- Thumb-operated forward/reverse switch

AT-3504-J



Reversible Drill Specifications

Model No.	Operating Speed (RPM)	Operating Pressure (PSI)	Spindle Thread	Chuck Capacity (in.)	Recommended Hose Size (in. I.D.)	Air Inlet (in. NPT)	Air Consumption (CFM)	Net Weight (lb.)
AT-3503-J	1,800	90	3/8-in., 24-spindle	3/8	3/8	1/4	4	2 1/2
AT-3504-J	500	90	3/8-in., 24-spindle	1/2	3/8	1/4	4	3

Reciprocating Saw Kit

- 3/8-in. cutting capacity
- 9,000 strokes per minute
- Comfort grip with capillary hose assembly
- Heavy-duty blade retainer and guides
- Kit includes: five different profile file blades and three blades of each size: 14T, 18T, 24T, and 32T

AT-3405-JK



Cut-Off Tool Kit

- Powerful 1/2 HP motor
- Cuts through clamps, bolts and 3/4-in. steel rods
- Lock-off level prevents accidental starts
- 3/8-in. arbor size
- 2 7/8 x 3/8 x 1/16-in. wheel size
- Clear polycarbonate guard for unobstructed view
- Kit includes: cut-off tool with one cut-off wheel

AT-3404-J



Air Tool Specifications

Model Number	Operating Speed	Operating Pressure (PSI)	Air Inlet (in. NPT)	Air Consumption (CFM)	Net Weight (lb.)
AT-3405-JK	9,000 SPM	90	1/4	6	1 1/2
AT-3404-J	20,000 RPM	90	1/4	4	2

Air Gasket Scraper

- ½-in. bore diameter
- 2¼-in. stroke length
- 4,800 blows per minute
- 2¼ x 1-in. carbon steel blade with 45° angle
- Supplied with an air regulator
- Removes gaskets, undercoatings and other material from machinery and flanges



AT-3707-J

Air Tool Specifications

Model Number	Operating Speed	Operating Pressure (PSI)	Air Inlet (in. NPT)	Air Consumption (CFM)	Net Weight (lb.)
AT-3707-J	4,800 BPM	90	¼	4	1½

AIR TOOL ACCESSORIES



Die Grinder Accessories

¼-in. collet AWJ-00AT-4303

Collet nut AWJ-00AT-4304

Set of 5 – ¾-in. cone wheels
AWJ-00AT-4305

Set of 5 – 1-in. round wheels
AWJ-00AT-4306

Set of 5 – 1¼-in. flat wheels
AWJ-00AT-4307

Set of 5 – 1-in. cylinder wheels
AWJ-00AT-4308

Set of 5 – ¾-in. cylinder wheels
AWJ-00AT-4309

Set of 5 – assorted wheel package
AWJ-00AT-4310

Fits AT-3309-JK and AT-3311-J



Reversible Drill Accessories

¾–¾–24 thread chuck AT-4501

¾ keyless chuck AT-4502

½–¾–24 thread chuck AT-4503

¾–¾–24 key leash AT-4504

Fits AT-3503-J and AT-3504-J

Air Gasket Scraper Accessory

Replacement blade AT-4712

Fits AT-3707-J



Air Hammer Accessories

Quick-change retainer spring
AWJ-00AT-4701

Safety retainer
AWJ-00AT-4702

Beehive retainer spring
AWJ-00AT-4703

Deluxe panel cutter AT-3704

Tapered punch AT-4704

Spot-weld splitter AT-4705

Cold chisel AT-4706

Double-blade panel cutter
AT-4707

Ripping tool cut-off AT-4708

Tie-rod separator AT-4709

Ball-joint separator AT-4710

Muffler removal tool AT-4711

Fits AT-3705-JK and AT-3706-JK



Impact Socket Adapter

½-in. x ¾-in., heat treated steel
AT-4110-J

Fits AT-3114-J, AT-3115-J,
AT-3117-J, AT-3119-J, AT-3121-J
and AT-3122-J



Angle Grinder Accessories

Grinding wheel
AWJ-00AT-4313
Fits AT-3310-J



Cut-Off Tool Accessories

Set of 6 premium wheels
AWJ-00AT-4401

Replacement guard
AT-4402

Fits AT-3404-J



Reciprocating Saw Accessories

Reciprocating blades – 14 TPI, 5-pack
AT-4427-J

Reciprocating blades – 18 TPI, 5-pack
AT-4428-J

Reciprocating blades – 24 TPI, 5-pack
AT-4429-J

Reciprocating blades – 32 TPI, 5-pack
AT-4430-J

File set – 5-piece
AT-4431-J

Fits AT-3405-JK



Reciprocating Saw Blades

Reciprocating assortment, universal shank, 5-pack – includes one each of 4-in. and 6-in. blades listed below
AT-4416-J

4-in., 14 TPI metal cutting – 5-pack
AT-4417-J

6-in., 18 TPI metal cutting – 5-pack
AT-4420-J



Batteries

10.8V Lithium-ion, 1.5 A.h. stem
ET-331065
 2-year limited warranty

18V Lithium-ion, 3.0 A.h. slide
ET-BSL1830C
 2-year limited warranty



Universal Charger

For 10.8V Lithium-ion stem batteries
ET-UC10SL2
 1-year limited warranty

For 12V-18V Lithium-ion & Ni-Cd stem batteries
UC18YRL
 1-year limited warranty

For 12V-18V Lithium-ion slide batteries
ET-UC18YFSL
 1-year limited warranty



Work Light

18V
ET-UB18DGL

Battery and charger not included
 Slide battery required
 90-day limited warranty



Lanterns

9.6-12V
ET-3907-J

14.4-18V
ET-3905-J

Battery not included
 Stem battery required
 90-day limited warranty



Lantern Bulb

Lantern replacement bulb
ET-3906-J



Flashlight Bulbs

12V – 2-pack
ET-3908-J

18V – 2-pack
ET-3904-J



Saw Blade

14-in. chop saw blade
AT-4361-J



Thin Cut-Off Wheels

4½ x ¼ x 7/8-in., 11 metal – 5-pack
AT-4323-J



Depressed-Center Grinding Wheels

4½ x ½ x 7/8-in., metal – 5-pack
AT-4316-J

4½ x ¼ x 7/8-in., metal – 5-pack
AT-4318-J

7 x ¼ x 5/8-in., 11 metal – 5-pack
AT-4321-J



Flap Discs

4½ x 7/8-in., 36 grit, zirconium – 6-pack
AT-4325-J

4½ x 7/8-in., 60 grit, zirconium – 6-pack
AT-4326-J



Hole Saw Kit

8-piece hole saw kit – pilot drill, hex arbor and ¾, 7/8, 1½, 1¾ and 2¼-in. plumbing installation and access
AT-4529-J



Individual Drill Bits

1/16-in. – 2-pack
AWJ-00AT-4507

1/8-in. – 2-pack
AWJ-00AT-4509

5/32-in.
AWJ-00AT-4510

3/16-in.
AWJ-00AT-4511

7/32-in.
AWJ-00AT-4512

1/4-in.
AWJ-00AT-4513

9/32-in.
AWJ-00AT-4514

5/16-in.
AWJ-00AT-4515

11/32-in.
AWJ-00AT-4516

3/8-in.
AWJ-00AT-4517

13/32-in.
AWJ-00AT-4518

7/16-in.
AWJ-00AT-4519

1/2-in.
AWJ-00AT-4521



Drill Bit Set

17-piece black gold drill bit set, round shank, black and gold coating is corrosion resistant – (2) $\frac{1}{16}$, $\frac{5}{64}$, $\frac{3}{32}$, $\frac{7}{64}$, $\frac{1}{8}$, $\frac{9}{64}$, $\frac{5}{32}$, $\frac{11}{64}$, $\frac{3}{16}$, $\frac{13}{64}$, $\frac{1}{4}$, $\frac{5}{16}$, $\frac{3}{8}$, $\frac{1}{2}$
ET-728081



Drill & Drive Bit Set

120-piece professional tool kit, $\frac{1}{4}$ -in. hex magnetic insert bit holder, brad point drill bits, black oxide drill bits, masonry bits, spade bits, nut drivers, 25mm insert bits and 50mm driver bits with hard plastic carrying case
ET-799962



Impact Socket Adapter

$\frac{1}{2}$ -in. x $\frac{3}{4}$ -in., heat treated steel
AT-4110-J



Brushes/Wheels

3-in. crimped wheel, 0.014 wire, $\frac{1}{4}$ -in. stem
AT-4345-J

2 $\frac{3}{4}$ -in. knot cup, 0.020 wire, $\frac{5}{8}$ -in. – 11 A.h.
AT-4348-J

5-in. crimped cup, 0.020 wire, $\frac{5}{8}$ -in. – 11 A.h.
AT-4354-J



Hitachi Canvas Carrying Bag

ET-325518



Carbon Tree Pruning Blades

9-inch, 5 TPI wood cutting, bi-metal – 2-pack
AT-4422-J

COMPRESSERATORS™

Two vital pieces of equipment in one, the John Deere Compressorator is both an industrial air compressor and powerful generator. Ideal for every industrial application requiring air and electrical power, you can increase productivity with this must-have machine. Save time and money by investing in one piece of equipment that will get the job done.

AC Series Compressorators feature an industrial air compressor and generator combination. Each is built with a 7-gauge base plate to provide strength and durability even in the toughest environments. Whether in the oil fields or the farm fields this versatile machine will deliver enough power to get the job done.



Gas-powered
Single-stage
Compressorator
AC1-CG16H



Diesel-powered Two-stage
Compressorator
AC2-CG35KD



AC SERIES

John Deere Compressorators give you the versatility of an 8- or 30-gallon air compressor with a heavy-duty brushless 120V/240V alternator generator. Powered by either an industrial Honda or John Deere-Branded gasoline engine or Kohler OHV diesel engine, these machines come with a single-stage or two-stage air compressor pump. Each carries a 2-year limited warranty.

All AC Series models feature

- Splash-lubricated cast iron crankcase
- Aluminum head for heat dissipation
- Cast iron cylinder
- Large canister intake filter
- 7-gauge base plate to reduce vibration
- Manual drain valves for proper maintenance
- Regulator and two gauges for tank and outlet pressure
- 16½-in. flywheel for extra cooling and longer life (two-stage models)

8-gallon models feature

- Powder-coated 8-gallon twin-tank receivers
- Convenient lifting handles (portable models)
- 2 pneumatic tires with tubes and steel hubs (portable models)
- Idle control with continuous run


30-gallon stationary models feature

- Quality two-stage compressor
- Powder-coated ASME coded 30-gallon receiver tank
- Stationary truck mount kit, for installing in truck bed

8-Gallon, Single-Stage Air Compressor/ 1600-watt Generator, Gas 196cc Honda GX Engine

- 11.6 CFM @ 100 PSI
- Industrial 1600-watt generator, rated off-load
- 12-in. flywheel for extra cooling and longer life

AC1-CG16H



(2) NEMA 5-20R

8-Gallon, Two-Stage Air Compressor/ 3500-watt Generator, Gas 389cc Honda GX Engine

- 15.4 CFM @ 175 PSI
- Industrial 3500-watt generator, rated off-load
- Stationary truck mount kit, used when installing in truck bed


Options

- Electric start Honda engine. Battery, box and cables not included. **Note:** Must be ordered with Compressorator and cannot be added later: **AX-0019**
- Idle control with electric start Honda engine. Battery, box and cables not included. **Note:** Must be ordered with Compressorator and cannot be added later: **AX-0068**
- Lifting hook: **AX-0028**

AC2-CG35H



(1) NEMA L6-20R
20A 230V



(2) NEMA 5-20R

8-Gallon, Two-Stage Air Compressor/3500-watt Generator, Gas 389cc Honda GX Engine

- 15.4 CFM @ 175 PSI
- Industrial 3500-watt generator, rated off-load

Options

- Electric start Honda engine. Battery, box and cables not included. **Note:** Must be ordered with Compressorator and cannot be added later: **AX-0019**
- Electric start Honda engine. Battery box and cables included (battery not included). **Note:** Must be ordered with Compressorator and cannot be added later: **AX-0064**
- Idle control with electric start Honda engine. Battery, box and cables not included. **Note:** Must be ordered with Compressorator and cannot be added later: **AX-0068**
- Lifting hook: **AX-0028**

AC2-CG35H-P



(1) NEMA L6-20R
20A 230V



(2) NEMA 5-20R

30-Gallon, Two-Stage Air Compressor/ 3500-watt Generator, Gas 389cc Honda GX Engine

- 15.4 CFM @ 175 PSI
- Industrial 3500-watt generator, rated off-load
- Stationary truck mount kit, used when installing in truck bed

Options


- Electric start Honda engine. Battery, box and cables not included. **Note:** Must be ordered with Compressorator and cannot be added later: **AX-0019**
- Electric start Honda engine. Battery box and cables included (battery not included). **Note:** Must be ordered with Compressorator and cannot be added later: **AX-0064**
- Idle control with electric start Honda engine. Battery, box and cables not included. **Note:** Must be ordered with Compressorator and cannot be added later: **AX-0068**
- Lifting hook: **AX-0063**



AC2-CG35H-30



(1) NEMA L6-20R
20A 230V



(2) NEMA 5-20R

30-Gallon, Two-Stage Air Compressor/ 4000-watt Generator, Gas

420cc John Deere-Branded
OHV Engine

- 15.4 CFM @ 175 PSI
- Industrial 4000-watt generator, rated off-load
- Stationary truck mount kit, used when installing in truck bed

Options


- Electric start John Deere-Branded engine. Battery, box and cables not included. **Note:** Must be ordered with Compressorator and cannot be added later: **AX-0073**
- Electric start John Deere-Branded engine. Battery box and cables included (battery not included). **Note:** Must be ordered with Compressorator and cannot be added later: **AX-0074**
- Idle control with electric start John Deere-Branded engine. Battery, box and cables not included. **Note:** Must be ordered with Compressorator and cannot be added later: **AX-0075**
- Lifting hook: **AX-0063**



AC2-CG40M-30



(1) NEMA L6-20R
20A 230V



(2) NEMA 5-20R

30-Gallon, Two-Stage Air Compressor/ 3000-watt Generator, Diesel


9.1 HP Kohler OHV Engine

- 15.7 CFM @ 175 PSI
- Industrial 3000-watt generator, rated off-load
- Electric start standard, battery, box and cables not included
- Glow plug equipped engine for easy starting in cold temperatures
- Stationary truck mount kit, used when installing in truck bed

AC2-CG35KD



(1) NEMA L6-20R
20A 230V



(2) NEMA 5-20R

Equipment Cover

- Heavy-duty all-weather cover
- Made from 600 denier vinyl-backed polyester
- To keep your Compresserator clean, dry and looking like new
- Drawstrings to secure cover
- Water resistant
- Dimensions: 32 x 24 x 48-in.

Fits all compresserators

AJ-1002



Compresserator Specifications

Model No.	Pressure (PSI)	Flow (CFM)	Power Source	CC/HP	Stage	Rated Output, Off/on load (watts)	Receptacles	LxWxH (in.)	Net Weight (lb.)
AC1-CG16H	100/125	11.6/10.9	Gas, Honda GX	196cc	Single	1600/600	(2) NEMA 5-20R	44.5x26x27.5	207
AC2-CG35H	175*	15.4	Gas, Honda GX	389cc	Two	3500/2300	(1) NEMA L6-20R, (2) NEMA 5-20R	45x22x36	360
AC2-CG35H-P	175*	15.4	Gas, Honda GX	389cc	Two	3500/2300	(1) NEMA L6-20R, (2) NEMA 5-20R	52x30x36	360
AC2-CG35H-30	175*	15.4	Gas, Honda GX	389cc	Two	3500/2300	(1) NEMA L6-20R, (2) NEMA 5-20R	40x24.5x45	435
AC2-CG40M-30	175*	15.4	Gas, John Deere-Branded OHV	420cc	Two	4000/2300	(1) NEMA L6-20R, (2) NEMA 5-20R	40x24.5x45	435
AC2-CG35KD	175*	15.7	Diesel, Kohler OHV	9.1 HP	Two	3000/1800	(1) NEMA L6-20R, (2) NEMA 5-20R	38x23x46.5	471

*Equipped with 150 PSI maximum rated regulator.

WELDERATORS™

Offering the convenience of three machines in one, the Welderator from John Deere is the complete on-site workshop. Engineered for construction, structural steel and equipment repair industries, this versatile machine is everything you need on a job. Featuring a two-stage air compressor, a 5000-watt generator and a powerful arc welder you'll get maximum performance from a single machine.

AC Series Welderators feature an industrial air compressor, generator and arc welder. Tough and dependable, this series offers the versatility of either a 20- or 30-gallon tank model, designed to mount into standard service bodies, or a base-mount model. Both allow the user easy access to controls.

Gas-powered Two-stage
Base-mount Welderator
AC2-CW5170M-B



Gas-powered Two-stage
20-Gallon Welderator
AC2-CW5220H



AC SERIES

The John Deere welderator combines a quality cast iron two-stage air compressor, an industrial 5000-watt generator featuring a brush-type 2-pole 120V/240V alternator and a 170- or 220-amp arc welder with an amperage selection switch. All are powered by an industrial-duty Honda GX engine with a 3-year limited warranty or John Deere-Branded OHV engine with a 2-year limited warranty.

All Welderator models feature

- Splash-lubricated cast iron crankcase
- Durable stainless-steel braided discharge hose
- Quality pilot valve unloader
- Amperage selection switch
- Regulator and two gauges for tank and outlet pressure
- Manual drain valves for proper maintenance
- Stationary truck mount kit, for installing stationary unit in truck bed

Generator Mode

- AC current only
- Selector switch set to idle down – engine will idle down when generator is not in use and tank pressure is 175 PSI
- Switch is set to full throttle – engine will run full throttle continuously

Welder Mode

- DC current only
- Engine must be running full throttle
- Selector switch must be set to full throttle



Gas-powered Two-stage
20-Gallon Welderator
AC2-CW5220H

30-Gallon, Two-Stage Air Compressor/ 5000-watt Generator/170A Arc Welder


420cc John Deere-Branded OHV Engine

- 15.4 CFM @ 175 PSI
- Industrial John Deere-Branded OHV engine with battery and cables not included
- 4500-watt off-load; 3000-watt on-load
- 41.7/20.8 max. amps (120V/240V) off-load
- 37.5/18.7 cont. amps (120V/240V) off-load
- Powder-coated ASME coded 30-gallon receiver tank
- 3/16-in. base plate to reduce vibration

Options

- Battery tray, box and cables; do not use if unit will be tank mounted. Note: and cannot be a
Must be ordered with Welderator
- Welder plug, dinse plug male, LDP-5M: 32-1118

AC2-CW5170M



(2) GFCI 5-20R



(1) NEMA L14-20R
125/250V



Two-Stage Air Compressor/5000-watt Generator/ 170A Arc Welder Base Mount

420cc John Deere-Branded OHV Engine


- 15.4 CFM @ 175 PSI
- Industrial John Deere-Branded OHV engine with electric start; battery and cables not included
- 4500-watt off-load; 3000-watt on-load
- 41.7/20.8 max. amps (120V/240V) off-load
- 37.5/18.7 cont. amps (120V/240V) off-load
- $\frac{3}{16}$ -in. base plate to reduce vibration

Options

- Battery tray, box and cables; do not use if unit will be truck-mounted. **Note:** Must be ordered with Welderator and cannot be added later: AX-0070
- Welder plug, dinse plug male, LDP-5M: 32-1118



AC2-CW5170M-B



(2) GFCI 5-20R



(1) NEMA L14-20R
125/250V


20-Gallon, Two-Stage Air Compressor/ 5000-watt Generator/220A Arc Welder

688cc Honda GX Engine


- 29.0 CFM @ 175 PSI
- Industrial Honda V-twin GX engine with electric start; battery cables included; battery not included
- 4500-watt continuous rating
- 41.5/20.8 max. amps (120V/240V)
- 37.5/18.8 cont. amps (120V/240V)
- ¼-in. base plate to reduce vibration
- 10-gallon auxiliary fuel tank
- Removable front panel
- Fork truck accessible

Option

- Welder plug, dinse plug male, LDP-5M: 32-1118



(2) GFCI 5-20R



(1) NEMA L14-20R
125/250V

AC2-CW5220H

Equipment Covers

- Heavy-duty all-weather cover
- Made from 600 denier vinyl-backed polyester
- To keep your Welderator clean, dry and looking like new
- Drawstrings to secure cover
- Water resistant

Two sizes available

- Dimensions: 48 x 24 x 32-in., fits models AC2-CW5170M and AC2-CW5170M-B: **AJ-1002**
- Dimensions: 48 x 25 x 50-in., fits model AC2-CW5220H: **AJ-1003**



Welderator Specifications

Model No.	Pressure (PSI)	Flow (CFM)	Power Source	CC	Max. AC Output	Rated AC Output	Receptacles	Duty Cycle	DC Voltage	LxWxH (in.)	Net Weight (lb.)
AC2-CW5170M	100/175*	16.3/15.4	Gas, John Deere-Branded OHV	420cc	5000 watts	4500 watts off-load, 3000 watts on-load	(2) GFCI 5-20R, (1) NEMA L14-20R	150A @ 100%	50-170A	46x22x47	585
AC2-CW5170M-B	100/175*	16.3/15.4	Gas, John Deere-Branded OHV	420cc	5000 watts	4500 watts off-load, 3000 watts on-load	(2) GFCI 5-20R, (1) NEMA L14-20R	150A @ 100%	50-170A	49x22x28.5	384
AC2-CW5220H	175*	29.0	Gas, Honda V-twin GX	688cc	5000 watts	4500 watts, continuous	(2) GFCI 5-20R, (1) NEMA L14-20R	220A @ 100%	50-220A	47x24x50	803

Max. AC output shows off/on load.
 Duty cycle is at 10 minutes run time.
 DC voltage shows the working amperage range.
 *Equipped with 150 PSI maximum rated regulator.





AC-G
10000 Max. Output
240V
2500W Max. Power
JOHN DEERE
OPERATOR'S MANUAL
SPECIFICATIONS

Diesel-powered 6000-watt
Portable Generator
AC-G6000KD

PORTABLE GENERATORS

Whether you need back-up power in adverse conditions or electrical power for your worksite, John Deere generators are virtual power plants. Available in a variety of wattages and engine options, these machines are ideal for homeowners, business owners and contractors who need maximum performance.



John Deere generators are the ultimate power tool and will meet the requirements of the most demanding applications, whether on the farm, construction site or industrial business.

PR Series generators are commercial grade with outstanding standard features designed to give your power when you need it. They are built to John Deere's strict standards for quality and have exceeded all life and performance testing.

AC Series generators are industrial grade with rugged construction, and perfect for job sites, agricultural duties and day long events. Built for the most demanding jobs, generators in this series range from 3000 up to 14000-watts of power and are designed for heavy-duty use.

Gas-powered 3600-watt
Portable Generator
PR-G3600M



PR SERIES

The PR Series features 3600, 6000, 8000 and 10,000-watt generators and are available with a John Deere-Branded OHV engine with low-oil shutdown. All are CSA listed, and come standard with a engine on/off switch, fuel shut-off valve and a 1-year limited warranty.

All PR Series models feature

- Total harmonic distortion (THD) less than 6%
- Copper and aluminum windings
- Easy-access and protected control panel with magnetic circuit breakers and GFCI-protected receptacles
- Large low tone muffler
- DC charging/battery charging
- Heavy-duty industrial air cleaners for extreme conditions
- 3600 RPM rated engine speed

3600 watt model features

- 120V alternator

6000 to 10000 watt models feature

- 120V/240V alternator
- Automatic idle control
- Wheel kit with tires and rubber gripped handles


3600-watt, Gas 212cc John Deere-Branded OHV Engine

- 3000-watt continuous
- Recoil start engine

Circuit Breaker

- (2) 20A circuit breaker, single pole
- (1) 30A circuit breaker, single pole

PR-G3600M



(2) 120V, 20A GFCI duplex




(1) 120V, 30A twist lock with 20A max. output

6000-watt, Gas

389cc John Deere-Branded OHV Engine

- 5500-watt continuous
 - Recoil start engine
- Circuit Breakers**
- (2) 20A toggle circuit breaker, single pole
 - (2) 30A toggle circuit breaker, single pole

PR-G6000M



(2) 120V, 20A GFCI duplex



(1) 120V, 30A twist lock with 20A max. output




(1) 120V/240V, 30A twist lock with 20A max. output

8000-watt, Gas

420cc John Deere-Branded OHV Engine

- 7000-watt continuous
 - Electric start engine (battery included)
- Circuit Breakers**
- (2) 20A toggle circuit breaker, single pole
 - (2) 30A toggle circuit breaker, single pole

PR-G8000M-E



(2) 120V, 20A GFCI duplex



(1) 120V, 30A twist lock with 20A max. output



(1) 120V/240V, 30A twist lock with 20A max. output

GENERATORS


10000-watt, Gas 500cc John Deere-Branded OHV Engine

- 9000-watt continuous
- Electric start engine (battery included)

Circuit Breakers

- (2) 20A toggle circuit breaker, single pole
- (2) 30A toggle circuit breaker, single pole

PR-G1000M-E



(2) 120V, 20A GFCI duplex



(1) 120V, 30A twist lock with 20A max. output



(1) 120V/240V, 30A twist lock with 20A max. output

AC SERIES

Models in the AC Series range from 3000-watts to 14000-watts and are available with either a Honda GX gasoline or Kohler OHV diesel engine. All are CSA listed, and come standard with a fuel shut-off valve, enhanced vibration dampeners, and a 2-year limited warranty.

All AC Series models feature

- Brushless 120V/240V alternator (excludes AC-G3010H)
- Total harmonic distortion (THD) less than 5%
- 100% copper windings
- Spark arrestors
- Fuel shut-off valve
- Enhanced vibration dampeners
- 3600 RPM rated engine speed

Gas models feature

- Honda GX engine with low-oil shutdown
- Recoil starting system standard; electric start optional
- Idle control (excludes AC-G3010H)

6000 to 14000 models feature

- Fuel gauge
- Voltmeter/hour meter


3000-watt, Gas 163cc Honda GX Engine

- 2450-watt continuous
- Brushless 120V alternator

Circuit Breaker

- (1) 20A push button circuit breaker

AC-G3010H



(1) 120V, 20A GFCI
duplex



6000-watt, Gas 389cc Honda GX Engine

- 5000-watt continuous

Circuit Breakers

- (2) 20A toggle circuit breaker, single pole
- (2) 20A toggle circuit breaker, double pole
- (1) 30A toggle circuit breaker, single pole

Options

- Lifting hook: **AW-5090-0004**
- Wheel kit: **AW-5740-0008**




AC-G6010H
AC-G6010H-E
with electric start*

*Battery not included.



(2) 120V, 20A GFCI duplex



(1) 120V/240V, 20A twist lock



(1) 120V, 30A twist lock with 20A max. output

6,000-watt, Diesel 9.1 HP Kohler OHV Engine

- 5,000-watt continuous
- Kohler OHV engine with electric-start, battery included

Circuit Breakers


- (1) Main circuit breaker
- (2) 20A toggle circuit breaker, single pole
- (1) 20A toggle circuit breaker, double pole
- (1) 30A toggle circuit breaker, single pole

Options

- Lifting hook: **AW-5090-0007**
- Wheel kit: **AW-5740-0019**



AC-G6000KD



(2) 120V, 20A GFCI duplex



(1) 120V/240V, 20 twist lock



(1) 120V, 30A twist lock

7500-watt, Gas 389cc Honda GX Engine

– 6500-watt continuous

Circuit Breakers


- (2) 20A toggle circuit breaker, single pole
- (1) 30A toggle circuit breaker, single pole
- (1) 30A toggle circuit breaker, double pole

Options

- Lifting hook: **AW-5090-0004**
- Wheel kit: **AW-5740-0008**

AC-G7510H
AC-G7510H-E
with electric start*

*Battery not included.



(2) 120V, 20A GFCI duplex



(1) 120V, 30A twist lock



(1) 120V/240V, 30A twist lock


14000-watt, Gas 630cc Honda GX Engine

- 12000-watt continuous
- Honda OHV engine with low-oil indicator light – electric start, battery not included
- Roll cage design with lifting hook and 4 flat-free tires

Circuit Breakers

- (2) 20A toggle circuit breaker, single pole
- (1) 30A toggle circuit breaker, single pole
- (1) 30A toggle circuit breaker, double pole
- (1) 50A toggle circuit breaker, double pole

AC-G14010H




(2) 120V, 20A GFCI duplex



(1) 120V, 30A twist lock



(1) 120V/240V, 30A twist lock



(1) 120V/240V, 50A

GENERATORS



Wheel Kits

- (2) 10-in. flat-free tires
- Dual rubber isolator feet
- Powder-coated and rubber gripped handles for comfort

AW-5740-0008

Fits models AC-G6010H, AC-G6010H-E, AC-G7510H and AC-G7510H-E

AW-5740-0019

Fits model AC-G6000KD

Lifting Hooks

- Made with ¼-in. powder-coated steel
- Bolts to generator with U-bolts
- Folds down and out of the way when not in use

AW-5090-0004

Fits models AC-G6010H, AC-G6010H-E, AC-G7510H and AC-G7510H-E

AW-5090-0007

Fits model AC-G6000KD



RV Generator Adapter

- Connects RV cordsets to 30A generators
- 30A/125V female/male

32-0915

Fits all generator models

Equipment Covers

- Heavy-duty all-weather cover
- Made from 600 denier vinyl-backed polyester
- To keep your generator clean, dry and looking like new
- Velcro™ straps to secure cover
- Water resistant

Three sizes available

- Dimensions: 29 x 20.5 x 22-in., fits model PR-G3600M:
AJ-1000
- Dimensions: 29.5 x 24 x 24.25-in., fits models PR-G6000M, PR-G8000M-E, PR-G10000M-E, AC-G6010H, AC-G6010H-E, AC-G6000KD, AC-G7510H and AC-G7510H-E:
AJ-1001
- Dimensions: 48 x 24 x 32-in., fits model AC-G14010H:
AJ-1002



Generator Specifications

Model No.	Max. AC Output (watts)	Rated AC Output (watts)	Power Source	CC/HP	Max. Amps (120V/240V)	Cont. Amps (120V/240V)	Decibel Rating	Fuel Cap. (gal.)	Run Time (hours)*	LxWxH (in.)	Dry Weight (lb.)
PR SERIES											
PR-G3600M	3600	3000	Gas, John Deere-Branded OHV	212cc	30.0	25.0	72	4.0	8.5	24.88x17.64x17.96	102
PR-G6000M	6000	5500	Gas, John Deere-Branded OHV	389cc	50.0/25.0	45.8/22.9	74	6.6	6.5	39.1x28.67x30.65+	180
PR-G8000M-E#	8000	7000	Gas, John Deere-Branded OHV	420cc	66.3/33.3	58.3/29.3	74	6.6	6.0	39.1x28.67x30.65+	195
PR-G10000M-E#	10000	9000	Gas, John Deere-Branded OHV	500cc	83.3/41.7	75.0/37.5	82.9	7.1	5.5	39.1x28.67x30.65+	209
AC SERIES											
AC-G3010H	3000	2450	Gas, Honda GX	163cc	25.0	20.4	74.8	2.6	7.4	25x18x18	130
AC-G6010H	6000	5000	Gas, Honda GX	389cc	50.0/25.0	41.7/20.8	77.1	7.3	8.0	29x24.4x22.5	210
AC-G6010H-E^	6000	5000	Gas, Honda GX	389cc	50.0/25.0	41.7/20.8	77.1	7.3	8.0	29x24.4x22.5	210
AC-G6000KD	6000	5000	Diesel, Kohler OHV	9.1 HP	50.0/25.0	41.7/20.8	85.0	2.6	6.8	29x21.6x22.5	273
AC-G7510H	7500	6500	Gas, Honda GX	389cc	62.5/31.25	54.2/27.1	80.0	7.3	6.9	29x24.4x22.5	233
AC-G7510H-E^	7500	6500	Gas, Honda GX	389cc	62.5/31.25	54.2/27.1	80.0	7.3	6.9	29x24.4x22.5	233
AC-G14010H	14000	12000	Gas, Honda GX	630cc	116.7/58.3	100.0/50.0	74.9	13.2	5.9	31.5x30.5x37.5	508

Noise level is tested at 7 meters (75% load). Rating represents minimum noise-level reading.

*Run time is at full load for all models.

#Electric start model, battery included.

^Electric start model, battery not included.

*Dimensions include the wheel kit with the handles in the down position.



Kerosene Forced-Air
Portable Heater
AC-190

PORTABLE HEATERS

John Deere portable heaters provide consistent and reliable heat for a comfortable work environment no matter where you need it. Extending heat to a wide area, these portable heaters are safe and efficient. Easily move them from one location to the next, they are ideal for workshops, job sites and any other outdoor setting.

HR Series portable heater is designed for the hobbyist and outdoor enthusiast who need portable supplemental heat in a ventilated workshop, garage or hunting cabin. This 18,000 BTU heater heats up to 600 square feet and is easy to move with to its unique rolling caster design.

AC Series portable heaters are designed to produce high levels of clean burning heat ranging from 75,000-BTUs to the powerful 400,000-BTUs. They are built to the highest standards and are intended for use in commercial and industrial applications, like construction and agricultural sites. So, whether you need heat for your workshop or job site, these portable units can be easily moved.

Propane Radiant
Portable Heater
HR-18R



HR SERIES

The HR Series propane radiant heater features heavy-duty construction and a powder-coated cabinet design. This model supplies clean, quiet, instant radiant heat and a wind resistant burner system that does not require electricity. Just hook up a 20-lb. LP tank (not included) and flip the switch. Backed by a 1-year limited warranty.

HR Series features

- Cast aluminum manifold
- Secured fully insulated ignition connection
- Variable heat control knob
- 4 rolling casters – 2 locking
- Safety auto-extinguish top-over switch
- Hose and regulator included
- Piezo spark ignition
- Oxygen depletions sensor

18,000-BTU Propane Radiant

- 65 maximum hours of operation/20-lb. tank
- 600-sq. ft. of heating area

HR-18R



AC SERIES

The AC Series kerosene forced-air heaters feature a rugged steel body with a powder-coated hood and fuel tank. Every model comes with a built-in thermostat with a temperature control dial, high limit temperature shut-off, extension cord wrap, and sure start ignition for really cold starts. They are factory tested for multiple fuels and are CSA certified with a 1-year limited warranty.

All AC Series models feature

- Heavy-duty, high quality cast aluminum enclosed electric motor
- 1-piece cast aluminum burner head with clamped hoses and secured photo cell
- Secured fully insulated ignition connection
- Power switch and fuel gauge
- Integral overheat and flame-out safety
- Dual connector ignitor
- Factory tested for multiple fuels – kerosene, JP8/Jet A fuel, No. 1 or No. 2 fuel oil and No. 1 or No. 2 diesel fuel

75,000 to 215,000-BTU models feature

- Integrated air pressure gauge

135,000 to 400,000-BTU models feature

- 10-in. pneumatic tires (13-in. on AC-400 model)
- Spare parts storage system – located on back of unit
- Fuel drain plug
- Digital temperature readout and LED diagnostic (not available on AC-400 model)
- Error indicator readout

75,000-BTU Kerosene Forced-Air 1/8 HP, 120V Motor

- 240 cubic feet per minute hot-air flow
- 1,700-sq. ft. of heating area

AC-75



PORTABLE HEATERS

135,000-BTU Kerosene Forced-Air

1/5 HP, 120V Motor

- 540 cubic feet per minute hot-air flow
- 3,100-sq. ft. of heating area

AC-135



190,000-BTU Kerosene Forced-Air

1/4 HP, 120V Motor

- 630 cubic feet per minute hot-air flow
- 4,300-sq. ft. of heating area

AC-190



215,000-BTU Kerosene Forced-Air

1/3 HP, 120V Motor

- 670 cubic feet per minute hot-air flow
- 5,300-sq. ft. of heating area

AC-215



400,000-BTU Kerosene Forced-Air

1/2 HP, 120V Motor

- 1,400 cubic feet per minute hot-air flow
- 10,000-sq. ft. of heating area

AC-400



Portable Heater Specifications

Model No.	BTU per hour	Heating Area (sq. ft.)	Hot-Air Flow (CFM)	Pump Air Pressure (PSI)	Fuel Tank Capacity (gallons)	Fuel Cons. Per Hour (gallons)	Max. Operating Hours	Motor (HP)	Amperage	LxWxH (in.)	Net Weight (lb.)
HR SERIES											
HR-18R	18,000	600	-	-	20 lb LP cylinder*	-	65	-	-	14x18x23	22
AC SERIES											
AC-75	75,000	1,700	240	3.8	5.0	0.53	9.0	1/8	1.5	30x12x15	28
AC-135	135,000	3,100	540	5.5	10.0	0.95	10.0	1/5	2.3	43x23x28	51
AC-190	190,000	4,300	630	8.5	13.0	1.34	9.5	1/4	2.7	47x24x28	60
AC-215	215,000	5,300	670	9.0	13.0	1.63	8.0	1/3	2.8	47x24x28	60
AC-400	400,000	10,000	1,400	8.5	24.0	3.05	8.0	1/2	2.8	58x30x25	143

*Not included.

Specifications are subject to change without notice. Use in accordance with any and all state or local codes, regulations, and/or ordinances. Please see heater "Operations Manual" included with each heater for a complete list of important safety information.

3-in. Chemical/Liquid
Fertilizer Pump
PR-FP3GM-E





TRANSFER PUMPS

Easy to transport and exceptionally durable, John Deere pumps can move a large volume of liquid very quickly. Featuring excellent suction and high pressure output, these pumps are designed for demanding jobs where time and performance are vital.

FP Series pumps include two sizes of high-volume chemical transfer pumps to give you the advantage of the highest output in the industry. Both are designed for chemical and liquid fertilizer transfer to maximize uptime in the field and the polypropylene housing makes them suitable for corrosive environments. If you have sprayers, you will want a John Deere transfer pump that will save time and money.

SP Series pumps include two sizes of self-priming, semi-trash pumps that are designed to move large amounts of water and are rugged enough to handle mud, leaves, twigs, sand, and sludge. Both the 2-inch and 3-inch models are fitted with a mechanical (silicon carbide) seal to ensure maximum durability and performance and the cast iron impeller and volute help to reduce vibration and wear.



2-in. Semi-Trash
Pump
AC-SP2GH1

CHEMICAL/LIQUID FERTILIZER PUMPS FP Series

John Deere FP Series offers two sizes of transfer pumps, a 2-inch model rated at 200 gallons per minute and a 3-inch model rated at 440 gallons per minute. These pumps are high performance, high volume units designed to pump at high flow rates. Each is backed by a 1-year limited warranty.

All FP Series models feature

- Polypropylene housing that is suitable for corrosive environments
- Self-priming capabilities with maximum suction lift up to 25-ft.
- EPDM mechanical seal and inlet valve for longevity and reliability in most applications

2-inch Suction/Discharge Size

- 200 max. GPM @ 58 max. PSI
- Nylon propellers with stainless-steel inserts can handle solid particles in suspension up to $\frac{3}{8}$ -in. diameter

PR-FP2GM

212cc John Deere-Branded OHV Engine

PR-FP2GH

196cc Honda GX Engine



2-inch Pump Accessories

- 20-ft. x 2-in. PVC suction hose with poly cam and groove fittings: 15-0306
- 2-in. poly male adapter F: 55-0054
- 2-in. poly female adapter B: 55-1895
- 2-in. replacement chemical pump seal kit: 70-0550



3-inch Suction/Discharge Size

- 440 max. GPM @ 54 max. PSI
- Poly impellers with stainless-steel inserts can handle solid particles in suspension up to 3/8-in. diameter

PR-FP3GM

420cc John Deere-Branded OHV Engine

PR-FP3GM-E

with electric start*

*Battery not included.



3-inch Pump Accessories

- 20-ft. x 3-in. PVC suction hose with poly cam and groove fittings: 15-0307
- 3-in. poly male adapter F: 55-2288
- 3-in. poly female adapter B: 55-2289
- 3-in. replacement chemical pump seal kit: 70-0551



Chemical/Liquid Fertilizer Pump Specifications

Model No.	Max. GPM	Max. PSI	Port Size (in.)	Power Source	CC	LxWxH (in.)	Net Weight (lb.)
PR-FP2GH	200	58	2x2	Gas, Honda GX	196cc	18.5x18.5x14	42 lb.
PR-FP2GM	200	58	2x2	Gas, John Deere-Branded OHV	212cc	18.5x18.5x14	42 lb.
PR-FP3GM	440	54	3x3	Gas, John Deere-Branded OHV	420cc	23.5x19.5x17.5	93 lb.
PR-FP3GM-E*	440	54	3x3	Gas, John Deere-Branded OHV	420cc	23.5x19.5x17.5	93 lb.

*Electric start engine, battery and cables not included.

TRANSFER PUMPS

SEMI-TRASH PUMPS SP Series

The John Deere semi-trash pumps come in a 2-inch or 3-inch suction and discharge size that can handle solids up to $\frac{3}{4}$ -inch. Both feature a precision molded cast iron impeller and volute to help reduce vibration and wear, and offer a 2-year limited warranty.

All SP Series models feature

- Mechanical (silicon carbide) seal
- 28-ft. suction head

2-inch Suction/Discharge Size

- 50 PSI
- 9,720 GPH max. capacity
- 115-ft. maximum total head

PR-SP2GM1

136cc John Deere-Branded OHV Engine

AC-SP2GH1

118cc Honda GX Engine



2-inch Pump Accessories

- 20-ft. x 2-in. hard suction hose with fittings: 15-0293
- 50-ft. x 2-in. soft discharge hose: 15-0295
- 2-in. suction strainer: 19-0628
- 2-in. suction and discharge kit – includes 20-ft. x 2-in. green PVC suction hose assembly, 50-ft. x 2-in. blue PVC discharge hose assembly and steel strainer with round openings: 70-0524



3-inch Suction/Discharge Size

- 45 PSI
- 16,560 GPH max. capacity
- 104-ft. maximum total head

PR-SP3GM1

212cc John Deere-Branded OHV Engine

AC-SP3GH1

196cc Honda GX Engine



3-inch Pump Accessories

- 20-ft. x 3-in. hard suction hose with fittings: **15-0294**
- 50-ft. x 3-in. soft discharge hose: **15-0296**
- 3-in. suction strainer: **19-0629**
- 3-in. suction and discharge kit – includes 20-ft. x 3-in. green PVC suction hose assembly, 50-ft. x 3-in. blue PVC discharge hose assembly and steel strainer with round openings: **70-0525**



Semi-Trash Pump Specifications

Model No.	Suction Discharge Size (in.)	Max. Total Head (ft.)	Suction Head (ft.)	Power Source	CC	PSI	Max. Capacity (GPH)	Fuel Tank Capacity (gallons)	LxWxH (in.)	Net Weight (lb.)
PR-SP2GM1	2x2	115	28	Gas, John Deere-Branded OHV	136cc	50.0	9,720	.71	18x14x15	58 lb.
AC-SP2GH1	2x2	115	28	Gas, Honda GX	118cc	50.0	9,720	.53	18x14x15	55 lb.
PR-SP3GM1	3x3	104	28	Gas, John Deere-Branded OHV	212cc	45.0	16,560	1.0	20x15x17	59 lb.
AC-SP3GH1	3x3	104	28	Gas, Honda GX	196cc	45.0	16,560	0.83	20x15x17	57 lb.



12-Gallon Wet/Dry
Vacuum
PR-12

WET/DRY VACUUMS

Rated as one of the quietest in the industry, the John Deere wet/dry vacuums are designed for commercial and industrial applications. Rugged and durable, these vacuums can withstand the toughest environments and require no conversion when going from wet to dry applications. They truly are the best in their class.

PR Series wet/dry vacuums are effective, compact and reliable. These vacuums are ideal for commercial and semi-professional users. No conversion is necessary on the wet/dry filter, which means there is no need to change filters when the job calls for going from one to the other.

AC Series wet/dry vacuums feature rugged construction and durability. These vacuums are very quiet and feature a two-stage blower motor for longer life. No conversion is necessary on the wet/dry filter, which means there is no need to change filters when the job calls for going from one to the other.



18-Gallon Wet/Dry Vacuum
AC-18



PR SERIES

For hands-on users in rugged applications, John Deere PR Series wet/dry vacuums deliver performance, efficiency and reliability. Choose either a 7-gallon or 12-gallon John Deere wet/dry vacuum and it will be the last one you need to buy. Each model features a push to clean semi-automatic filter cleaning system, long-lasting washable wet and dry filter cartridge, quiet operation and a complete line of accessories. Offers a 2-year limited warranty.

All PR Series models feature

- Two-stage bypass motors
- Quiet operation
- Electrical cord wrap
- Push and clean semi-automatic filter cleaning system
- Wet and dry filter; no conversion necessary

7-Gallon

1.34 HP, 120V Two-Stage Bypass Motor

- 127 CFM
- 84-in. waterlift
- Exhaust blower feature
- Filter efficiency 99.5% to 1.0-micron

Includes the following accessories

- 10-ft. x 1¼-in. hose with curved plastic wand, 15-0372
- 2-piece aluminum wand, 16-0484
- 12-in. combination floor tool, 33-0603
- Upholstery tool, 33-0604
- 8½-in. crevice tool, 33-0605
- Dusting brush, 33-0606
- Cartridge filter, 19-0288
- 1 paper filter bag, replacement bags sold in packs of 5 qty., 19-0289

PR-7



12-Gallon

1.34 HP, 120V Two-Stage Bypass Motor

- 135 CFM
- 92-in. waterlift
- Filter efficiency 99.5% to 1.0-micron

Includes the following accessories

- 10-ft. x 1¼-in. hose with curved plastic wand, 15-0372
- 2-piece aluminum wand, 16-0484
- 12-in. combination floor tool, 33-0603
- Upholstery tool, 33-0604
- 8½-in. crevice tool, 33-0605
- Dusting brush, 33-0606
- Cartridge filter, 19-0228
- 1 paper filter bag, replacement bags sold in packs of 5 qty., 19-0290

PR-12



AC SERIES

Choose a 9-gallon, 13-gallon or 18-gallon John Deere wet/dry vacuum and it will be the last one you need to buy. Each comes with a lifetime warranty on the canister. The self-cooling motor is CSA listed. Rated as one of the quietest in the industry, John Deere vacuums feature superior noise reduction technology without sacrificing cleaning power. A generous 25-ft. cord is included and recessed wheels and clamps to prevent breakage. Be sure to check out the complete line of accessories.

All AC Series models feature

- Two-stage blower motor for longer life
- Quiet operation
- Exhaust air ducting reduces the possibility of motor contamination by dirt or moisture
- Electrical cord wrap
- Electrical system is double-protected by enclosure-within-enclosure
- Stackable design for easy storage
- 5-year limited warranty on the vacuum (2-year on AC-9)

9-Gallon

1.3 HP, 120V Two-Stage Bypass Motor

- 101 CFM
- 87-in. waterlift
- Industrial-grade caster wheels with plates

Includes the following accessories

- 10-ft. x 1¼-in. hose with inlet cuff, 15-0242 and 50-0178
- Curved plastic wand, 16-0403
- 2-piece aluminum/plastic wand, 16-0402
- 12-in. combination floor tool, 33-0411
- 8½-in. crevice tool, 33-0412
- 12-in. commercial squeegee tool, 33-0410
- Cartridge filter, 19-0221
- 1 paper filter bag, replacement bags sold in packs of 5 qty., 19-0222

AC-9



13- and 18-Gallon 1.6 HP, 120V Two-Stage Bypass Motor

- 108 CFM
- 111-in. waterlift
- Industrial-grade polyolefin wheels with stainless-steel shafts
- Filter efficiency 99.5% to 1.0-micron; optional HEPA filter 99.97% efficient to 0.3-micron

Includes the following accessories

- 10-ft. x 1½-in. crushproof hose with swivel, 15-0207
- 2-piece chrome-plated wand, 16-0391
- 11½-in. combination floor tool, 33-0360
- Crevice tool, 33-0326
- 14-in. commercial squeegee tool, 33-0359
- Upholstery tool, 33-0327
- Cartridge filter, 19-0230
- 1 paper filter bag, replacement bags sold in packs of 10 qty., 19-0610

AC-13

AC-18



Wet/Dry Vacuum Specifications

Model No.	Motor	HP (Cont.)	CFM	Waterlift (in.)	Capacity	Water Recovery	Amperage	Decibel Rating	LxWxH (in.)	Net Weight (lb.)
PR SERIES										
PR-7	120V Two-stage bypass	1.34	127	84	7.0 gal.	5.0 gal.	8.3	64 dB(A)	15x16x21	16
PR-12	120V Two-stage bypass	1.34	135	92	12.0 gal.	10.0 gal.	8.3	59 dB(A)	18x15x30	32
AC SERIES										
AC-9	120V Two-stage bypass	1.3	101	87	9.0 gal.	6.0 gal.	7.5	57.4 dB(A)	14x14x22	25
AC-13	120V Two-stage bypass	1.6	108	111	13.0 gal.	9.0 gal.	8.6	51.2 dB(A)	22x18x28	38
AC-18	120V Two-stage bypass	1.6	108	111	18.0 gal.	13.0 gal.	8.6	51.5 dB(A)	27x19x31	44

WET/DRY VACUUM ACCESSORIES

7 & 12-Gallon Accessories



Hose

Crushproof hose with curved plastic wand – 10-ft. x 1½-in.
15-0372



Wand

Aluminum wand, 2-piece
16-0484



Filters

Cartridge filter – hydrophobic media for wet and dry use
19-0288

Paper filter bag – disposable, for dry use only, recommended for fine dusts, 5 qty. per pack
19-0289
Fits PR-7

Paper filter bag – disposable, for dry use only, recommended for fine dusts, 5 qty. per pack
19-0290
Fits PR-12



Miscellaneous Tools

Combination floor tool – 12-in., high-impact plastic
33-0603

Upholstery tool – 5-in. serrated edge, high-impact plastic
33-0604

Crevice tool – 8½-in., high-impact plastic
33-0605

Dusting brush – 2½-in. nylon brush, high-impact plastic
33-0606

9-Gallon Accessories



Hose & Cuff

Bulk suction hose without fittings – 1¼-in., sold by the foot
15-0242

Inlet cuff – hose fitting connects hose to vacuum, for bulk hose
50-0178



Wands

Aluminum/plastic extension wand – 2-piece, plastic wand with aluminum inserts
16-0402

Curved plastic wand – 14¼-in., connects tools to wand
16-0403



Filters

Cartridge filter – hydrophobic media for wet and dry use
19-0221

Paper filter bag – disposable, for dry use only, recommended for fine dusts, 5 qty. per pack
19-0222



Miscellaneous Tools

Commercial squeegee tool – 12-in., high-impact plastic, connects directly to extension wand
33-0410

Combination floor tool – 12-in., high-impact plastic, connects directly to extension wand
33-0411

Crevice tool – 8½-in., high-impact plastic, connects directly to curved plastic wand
33-0412

Dusting brush – 2½-in. nylon brush, high-impact plastic, connects directly to curved plastic wand
33-0422

13 & 18-Gallon Accessories



Hose & Fittings

Crushproof suction hose with fittings – 10-ft. x 1½-in.
15-0207

Bulk crushproof hose without fittings – 1½-in., sold by the foot
15-0223

Hose adapter kit – hose fittings to connect bulk hose to existing hose or to a vacuum, includes 2 inlet hose fittings and 1 hose connector
852-0156

Tapered cuff end hose – connects hose to wand or to hose connector
50-0167

Hose connector – connects tapered cuff to hose extension
50-0168

Inlet hose fitting – connects hose to vacuum
50-0169



Wand

Aluminum extension wand – 2-piece, chrome-plated, friction fit
16-0391



Filters

Cartridge filter – hydrophobic media for wet and dry use, completely washable, filters to 1.0-micron with threaded knob
19-0230

HEPA filter – 99.97% efficient to 0.3-micron, recommended for fine dusts and clean room applications
19-0234

Paper filter bags – disposable, for dry use only, recommended for fine dusts, 10 qty. per pack
19-0610

Cloth filter bag – reusable, for dry use only, machine washable
19-0611

Filter liner – fits inside canister to keep filter cartridge clean, for dry use only, do not use with paper filter bag
19-0235



Vacuum Accessory Bag

Vacuum hose hanger attaches to top handle of vacuum, holds 2-piece wand assembly and standard floor and hand tools, made from 600-denier vinyl-backed polyester – 16.5x20-in.
AW-9500-0001



Miscellaneous Tools

Crevice tool – 10¾-in., high-impact plastic, connects directly to hose
33-0326

Upholstery tool – 5-in. serrated edge, high-impact plastic, connects directly to hose
33-0327

Dusting tool – 2¾-in. nylon brush, high-impact plastic, connects directly to hose
33-0328

Commercial squeegee floor tool – 14-in. with replaceable rubber blades, high-impact plastic, connects directly to extension wand
33-0359

Combination floor tool – 12-in., adjustable brush height, high-impact plastic, connects directly to extension wand
33-0360

Commercial nylon brush floor tool – 14-in. nylon brush insert, high-impact plastic, connects directly to extension wand
33-0361

Power floor tool – 10¾-in., air-powered, belt drive, high-impact plastic, connects directly to extension wand
33-0362

Suction hand tool – 4-in., high-impact plastic, connects directly to hose
33-0371





HAND TOOLS

John Deere offers a wide variety of hand tools and workshop accessories to meet the needs of the do-it-yourselfer and professional contractor. The combination of a great price and professional quality makes John Deere hand tools a truly outstanding value.

SAE Combination
Ratcheting Wrench Set
TY25249



SOCKETS AND SOCKET SETS

All Sockets feature

– Limited lifetime warranty

*All socket sets meet or exceed ANSI standards and specifications.



SAE 1/4-inch Drive Socket Set
21-Piece Set in Blow-Molded Case
TY25835

6-pt. socket – Regular

3/16-in.	PT17025
7/32-in.	PT17026
1/4-in.	PT17027
9/32-in.	PT17028
5/16-in.	PT17029
11/32-in.	PT17030
3/8-in.	PT17031
7/16-in.	PT17032
1/2-in.	PT17033

6-pt. socket – Deep

1/4-in.	PT18930
9/32-in.	PT18931
5/16-in.	PT18932
11/32-in.	PT18933
3/8-in.	PT19910
7/16-in.	PT19911
1/2-in.	PT19912

2-in. extension

PT17034

6-in. extension

PT17035

1/4-in. U-joint

TY19927

Spinner handle

PT18600

Pear-head ratchet

PT20970

Blow-molded case

PT20971



Metric 1/4-inch Drive Socket Set
21-Piece Set in Blow-Molded Case
TY25836

6-pt. socket – Regular

5mm	PT18018
6mm	PT18019
7mm	PT18020
8mm	PT18021
9mm	PT18022
10mm	PT18023
11mm	PT18024
12mm	PT18025
13mm	PT18026

6-pt. socket – Deep

6mm	PT19914
7mm	PT19915
8mm	PT19916
9mm	PT19917
10mm	PT19918
11mm	PT19919
13mm	PT19921

2-in. extension

PT17034

6-in. extension

PT17035

1/4-in. U-joint

TY19927

Spinner handle

PT18600

Pear-head ratchet

PT20970

Blow-molded case

PT20971



SAE 3/8-inch Drive Socket Set
20-Piece Set in Blow-Molded Case
 TY25837

12-pt. socket – Regular		12-pt. socket – Deep	
3/8-in.	PT17037	3/8-in.	PT17048
7/16-in.	PT17038	7/16-in.	PT17145
1/2-in.	PT17039	1/2-in.	PT17049
9/16-in.	PT17040	9/16-in.	PT17050
5/8-in.	PT17041	5/8-in.	PT17051
11/16-in.	PT17042	11/16-in.	PT17052
3/4-in.	PT17043	3/4-in.	PT17053
13/16-in.	PT17044	13/16-in.	PT17054
7/8-in.	PT17045		
3-in. extension		PT17056	
6-in. extension		PT17057	
8-in. pear-head ratchet		PT20975	
Blow-molded case		PT20976	



Metric 3/8-inch Drive Socket Set
22-Piece Set in Blow-Molded Case
 TY25838

12-pt. socket – Regular		12-pt. socket – Deep	
10mm	PT16648	10mm	PT18005
12mm	PT16650	12mm	PT18006
13mm	PT16651	13mm	PT18007
14mm	PT16652	14mm	PT18008
15mm	PT16653	15mm	PT18009
17mm	PT16655	17mm	PT18010
18mm	PT16656	18mm	PT19268
19mm	PT16657	19mm	PT18011
21mm	PT18003	21mm	PT18012
22mm	PT18004		
3-in. extension		PT17056	
6-in. extension		PT17057	
8-in. pear-head ratchet		PT20975	
Blow-molded case		PT20976	

HAND TOOLS



SAE 3/8-inch Drive Sockets

10-Piece on Clip Rail

TY19983

12-pt. socket – Regular

5/16-in.	PT18027	5/8-in.	PT17041
3/8-in.	PT17037	11/16-in.	PT17042
7/16-in.	PT17038	3/4-in.	PT17043
1/2-in.	PT17039	13/16-in.	PT17044
9/16-in.	PT17040	7/8-in.	PT17045



Metric 3/8-inch Drive Sockets

14-Piece on Clip Rail

TY19924

12-pt. socket – Regular

6mm	PT16644	13mm	PT16651
7mm	PT16645	14mm	PT16652
8mm	PT16646	15mm	PT16653
9mm	PT16647	16mm	PT16654
10mm	PT16648	17mm	PT16655
11mm	PT16649	18mm	PT16656
12mm	PT16650	19mm	PT16657



SAE 3/8-inch Drive Deep-Well Sockets

8-Piece on Clip Rail

TY27809

12-pt. socket – Deep

3/8-in.	PT17048	5/8-in.	PT17051
7/16-in.	PT17145	11/16-in.	PT17052
1/2-in.	PT17049	3/4-in.	PT17053
9/16-in.	PT17050	13/16-in.	PT17054



Metric 3/8-inch Drive Deep-Well Sockets

9-Piece on Clip Rail

TY27808

12-pt. socket – Deep

10mm	PT18005	17mm	PT18010
12mm	PT18006	18mm	PT19268
13mm	PT18007	19mm	PT18011
14mm	PT18008	21mm	PT18012
15mm	PT18009		



SAE 3/8-inch Drive Flex Sockets

7-Piece on Clip Rail

TY24812

6-pt. socket – Regular

3/8-in.	PT20307	5/8-in.	PT20311
7/16-in.	PT20308	11/16-in.	PT20312
3/4-in.	PT20313	1/2-in.	PT20309
9/16-in.	PT20310		



Metric 3/8-inch Drive Flex Sockets

10-Piece on Clip Rail

TY24813

6-pt. socket – Regular

10mm	PT20314	15mm	PT20319
11mm	PT20315	16mm	PT20320
12mm	PT20316	17mm	PT20321
13mm	PT20317	18mm	PT20322
14mm	PT20318	19mm	PT20323

Flare Nut Crow Foot Sockets

Features

- Attaches to ratchet or extension, allowing access to fasteners in tight places
- Flare-nut style minimizes fastener rounding



SAE 3/8-inch 7-Piece on Clip Rail

TY24358

3/8-in.	PT19932	5/8-in.	PT19936
7/16-in.	PT19933	11/16-in.	PT19937
1/2-in.	PT19934	3/4-in.	PT19938
9/16-in.	PT19935		



Metric 3/8-inch 8-Piece on Clip Rail

TY24359

10mm	PT19939	15mm	PT19943
11mm	PT19940	17mm	PT19944
13mm	PT19941	18mm	PT19945
14mm	PT19942	19mm	PT19946



Impact Socket Sets

Feature

- Thick walls and special alloy steel provide extra strength
- A black oxide finish that provides corrosion resistance and also differentiates from regular sockets
- Sockets are through-hardened to ensure strength, toughness and wear resistance
- Limited lifetime warranty

*All socket sets meet or exceed ANSI standards and specifications.

*For use on air or electric impact wrenches or ratchets.



SAE 3/8-inch Drive Impact Sockets

8-Piece

TY27273

6-pt. socket – Regular

5/16-in.	PT21277	9/16-in.	PT21281
3/8-in.	PT21278	5/8-in.	PT21282
7/16-in.	PT21279	11/16-in.	PT21283
1/2-in.	PT21280	3/4-in.	PT21284



Metric 3/8-inch Drive Impact Sockets

8-Piece

TY27272

6-pt. socket – Regular

8mm	PT21269	14mm	PT21273
10mm	PT21270	15mm	PT21274
12mm	PT21271	17mm	PT21275
13mm	PT21272	19mm	PT21276



SAE 3/8-inch Drive Deep-Well Impact Sockets

8-Piece

TY27275

6-pt. socket – Deep

5/16-in.	PT21293	9/16-in.	PT21297
3/8-in.	PT21294	5/8-in.	PT21298
7/16-in.	PT21295	11/16-in.	PT21299
1/2-in.	PT21296	3/4-in.	PT21300



Metric 3/8-inch Drive Deep-Well Impact Sockets

8-Piece

TY27274

6-pt. socket – Deep

8mm	PT21285	14mm	PT21289
10mm	PT21286	15mm	PT21290
12mm	PT21287	17mm	PT21291
13mm	PT21288	19mm	PT21292



SAE 1/2-inch Drive Socket Set
 25-Piece Set in Blow-Molded Case
 TY25839

6-pt. socket – Regular

7/16-in.	PT20980
1/2-in.	PT20981
9/16-in.	PT20982
5/8-in.	PT20983
11/16-in.	PT20984
3/4-in.	PT20985

12-pt. socket – Regular

13/16-in.	PT17064
7/8-in.	PT17065
15/16-in.	PT17066
1-in.	PT17067
1 1/16-in.	PT17068
1 1/8-in.	PT17069
1 1/4-in.	PT17070

5-in. extension	PT17077
10-in. extension	PT17078
17-in. breaker bar	PT17435
10-in. pear-head ratchet	PT20986
Blow-molded case	PT20987

12-pt. socket – Deep

1/2-in.	PT19269
9/16-in.	PT19270
5/8-in.	PT17072
11/16-in.	PT17146
3/4-in.	PT17073
13/16-in.	PT17074
7/8-in.	PT17075
15/16-in.	PT19271



Metric 1/2-inch Drive Socket Set
 25-Piece Set in Blow-Molded Case
 TY25840

12-pt. socket – Regular

12mm	PT16660
13mm	PT16661
14mm	PT16662
15mm	PT16663
17mm	PT16665
18mm	PT16666
19mm	PT16667
21mm	PT18884
22mm	PT18885
24mm	PT18886
26mm	PT18887
27mm	PT18888
30mm	PT18889
32mm	PT18890

12-pt. socket – Deep

15mm	PT18013
16mm	PT19274
17mm	PT18014
18mm	PT19275
19mm	PT18015
20mm	PT18016
21mm	PT18017

5-in. extension	PT17077
10-in. extension	PT17078
17-in. breaker bar	PT17435
10-in. pear-head ratchet	PT20986
Blow-molded case	PT20989

HAND TOOLS



SAE 1/2-inch Drive Sockets

13-Piece on Clip Rail

TY19984

12-pt. socket – Regular

7/16-in.	PT17058	7/8-in.	PT17065
1/2-in.	PT17059	15/16-in.	PT17066
9/16-in.	PT17060	1-in.	PT17067
5/8-in.	PT17061	1 1/16-in.	PT17068
11/16-in.	PT17062	1 1/8-in.	PT17069
3/4-in.	PT17063	1 1/4-in.	PT17070
13/16-in.	PT17064		



SAE 1/2-inch Drive Sockets

11-Piece on Clip Rail

TY27810

6-pt. socket – Regular

7/16-in.	PT20980	3/16-in.	PT100000
1/2-in.	PT20981	7/8-in.	PT100001
9/16-in.	PT20982	5/16-in.	PT100002
5/8-in.	PT20983	1-in.	PT100003
11/16-in.	PT20984	1 1/16-in.	PT100004
3/4-in.	PT20985		



Metric 1/2-inch Drive Sockets

11-Piece on Clip Rail

TY19944

6-pt. socket – Regular

20mm	PT17014	26mm	PT17020
21mm	PT17015	27mm	PT17021
22mm	PT17016	28mm	PT17022
23mm	PT17017	30mm	PT17023
24mm	PT17018	32mm	PT17024
25mm	PT17019		



Metric 1/2-inch Drive Sockets

10-Piece on Clip Rail

TY19925

12-pt. socket – Regular

10mm	PT16658	15mm	PT16663
11mm	PT16659	16mm	PT16664
12mm	PT16660	17mm	PT16665
13mm	PT16661	18mm	PT16666
14mm	PT16662	19mm	PT16667



SAE 1/2-inch Drive Deep-Well Sockets

9-Piece on Clip Rail

TY24209

12-pt. socket – Deep

7/16-in.	PT19354	3/4-in.	PT17073
1/2-in.	PT19269	13/16-in.	PT17074
9/16-in.	PT19270	7/8-in.	PT17075
5/8-in.	PT17072	15/16-in.	PT19271
11/16-in.	PT17146		



Metric 1/2-inch Drive Deep-Well Sockets

11-Piece on Clip Rail

TY24210

12-pt. socket – Deep

13mm	PT19272	19mm	PT18015
14mm	PT19273	20mm	PT19276
15mm	PT18013	21mm	PT18016
16mm	PT19274	22mm	PT18017
17mm	PT18014	24mm	PT19277
18mm	PT19275		

Impact Socket Sets

Feature

- Thicker walls and special alloy steel provide extra strength
- A black oxide finish that provides corrosion resistance and also differentiates from regular sockets
- Sockets are through-hardened to ensure strength, toughness and wear resistance
- Limited lifetime warranty

*All socket sets meet or exceed ANSI standards and specifications.

*For use on air or electric impact wrenches or ratchets.



SAE 1/2-inch Drive Impact Sockets

11-Piece

TY24217

6-pt. socket – Regular

7/16-in.	PT19332	13/16-in.	PT19338
1/2-in.	PT19333	7/8-in.	PT19339
9/16-in.	PT19334	15/16-in.	PT19340
5/8-in.	PT19335	1-in.	PT19341
11/16-in.	PT19336	1 1/16-in.	PT19342
3/4-in.	PT19337		



Metric 1/2-inch Drive Impact Sockets

11-Piece

TY24218

6-pt. socket – Regular

13mm	PT19343	19mm	PT19349
14mm	PT19344	21mm	PT19350
15mm	PT19345	22mm	PT19351
16mm	PT19346	24mm	PT19352
17mm	PT19347	27mm	PT19353
18mm	PT19348		



SAE 1/2-inch Drive Deep-Well Impact Sockets

11-Piece

TY24363

6-pt. socket – Deep

7/16-in.	PT19955	13/16-in.	PT19961
1/2-in.	PT19956	7/8-in.	PT19962
9/16-in.	PT19957	15/16-in.	PT19963
5/8-in.	PT19958	1-in.	PT19964
11/16-in.	PT19959	1 1/16-in.	PT19965
3/4-in.	PT19960		



Metric 1/2-inch Drive Deep-Well Impact Sockets

11-Piece

TY24364

6-pt. socket – Deep

13mm	PT19966	19mm	PT19972
14mm	PT19967	21mm	PT19973
15mm	PT19968	22mm	PT19974
16mm	PT19969	24mm	PT19975
17mm	PT19970	27mm	PT19976
18mm	PT19971		

HAND TOOLS



SAE 3/4-inch Drive Socket Set 15-Piece Set in Blow-Molded Case TY19926

12-pt. socket – Regular

7/8-in.	PT16668	1 5/16-in.	PT16674
1 5/16-in.	PT16669	1 3/8-in.	PT16675
1-in.	PT16670	1 7/16-in.	PT16676
1 1/16-in.	PT16671	1 1/2-in.	PT16677
1 1/8-in.	PT16672	1 5/8-in.	PT16678
1 1/4-in.	PT16673		

20-in. reversible ratchet PT16679

19-in. breaker bar PT16680

8-in. extension PT16681

16-in. extension PT16682

Blow-molded case PT16683





SAE 3/4-inch Drive Sockets
9-Piece in Blow-Molded Case
 TY19985

12-pt. socket – Regular

1 ¹ / ₁₆ -in.	PT18579	2 ¹ / ₈ -in.	PT18584
1 ³ / ₄ -in.	PT18580	2 ³ / ₁₆ -in.	PT18585
1 ³ / ₁₆ -in.	PT18581	2 ¹ / ₄ -in.	PT18586
1 ⁷ / ₈ -in.	PT18582	2 ³ / ₈ -in.	PT18587
2-in.	PT18583		

Blow-molded case PT20850



Metric 3/4-inch Drive Sockets
11-Piece in Blow-Molded Case
 TY19986

12-pt. socket – Regular

22mm	PT18588	33mm	PT18594
24mm	PT18589	35mm	PT18595
26mm	PT18590	36mm	PT18596
27mm	PT18591	38mm	PT18597
30mm	PT18592	41mm	PT18598
32mm	PT18593		

Blow-molded case PT20851



Impact Socket Sets

Feature

- Thicker walls and special alloy steel provide extra strength
- A black oxide finish that provides corrosion resistance and also differentiates from regular sockets
- Sockets are through-hardened to ensure strength, toughness and wear resistance
- Limited lifetime warranty

*All socket sets meet or exceed ANSI standards and specifications.

*For use on air or electric impact wrenches or ratchets.



SAE 3/4-inch Drive Deep-Well Impact Sockets

8-Piece in Black Steel Case

TY27271

6-pt. socket – Deep

1-in.	PT21260	1 ⁵ / ₁₆ -in.	PT21264
1 ¹ / ₁₆ -in.	PT21261	1 ³ / ₈ -in.	PT21265
1 ¹ / ₈ -in.	PT21262	1 ⁷ / ₁₆ -in.	PT21266
1 ¹ / ₄ -in.	PT21263	1 ¹ / ₂ -in.	PT21267

Black steel case PT21268



Metric 3/4-inch Drive Deep-Well Impact Sockets

8-Piece in Black Steel Case

TY27270

6-pt. socket – Deep

26mm	PT21251	32mm	PT21255
27mm	PT21252	35mm	PT21256
29mm	PT21253	36mm	PT21257
30mm	PT21254	38mm	PT21258

Black steel case PT21259



Universal Joints for Sockets

TY19927 1/4-in. universal joint

TY19928 3/8-in. universal joint

TY19929 1/2-in. universal joint



Universal Joint for Impact Sockets

TY24221

- 1/2-in.
- Access to fasteners from various angles
- 90-day warranty



Impact Adapter Set

3-Piece
TY27451

Set includes

- 1/4-in.
- 3/8-in.
- 1/2-in.
- 90-day warranty

Hex Bit Sockets

Feature

- S2 alloy steel bit for strength and durability
- Rust resistant finish
- 90-day warranty

*Exceeds ANSI standards.



SAE Hex Bit Sockets

13-Piece on Clip Rail

TY26846

1/4-in. drive		3/8-in. drive	
5/64-in.	PT21167	3/16-in.	PT21173
3/32-in.	PT21168	7/32-in.	PT21174
7/64-in.	PT21169	1/4-in.	PT21175
1/8-in.	PT21170	5/16-in.	PT21176
9/64-in.	PT21171	3/8-in.	PT21177
5/32-in.	PT21172		
1/2-in. drive			
7/16-in.	PT21178		
1/2-in.	PT21179		
Clip rail	PT21218		



Metric Hex Bit Sockets

13-Piece on Clip Rail

TY26848

1/4-in. drive		3/8-in. drive	
2mm	PT21186	6mm	PT21192
2.5mm	PT21187	7mm	PT21193
3mm	PT21188	8mm	PT21194
4mm	PT21189	9mm	PT21195
5mm	PT21190	10mm	PT21196
5.5mm	PT21191		
1/2-in. drive			
11mm	PT21197		
12mm	PT21198		
Clip rail	PT21220		



SAE 1/2-inch Jumbo Hex Bit Sockets

6-Piece on Clip Rail

TY26847

1/2-in. drive			
9/16-in.	PT21180	3/4-in.	PT21183
5/8-in.	PT21181	13/16-in.	PT21184
11/16-in.	PT21182	7/8-in.	PT21185
Clip rail	PT21219		



Metric 1/2-inch Jumbo Hex Bit Sockets

7-Piece on Clip Rail

TY26849

1/2-in. drive			
13mm	PT21199	19mm	PT21203
14mm	PT21200	21mm	PT21204
15mm	PT21201	22mm	PT21205
17mm	PT21202		
Clip rail	PT21221		

Star Bit Sockets

Feature

- S2 alloy steel bit for strength and durability
- Rust resistant finish
- 90-day warranty
- *Exceeds ANSI standards.



Star Bit Sockets

12-Piece on Clip Rail

TY26850

- Tamper-resistant

¼-in. drive

T-10	PT21206
T-15	PT21207
T-20	PT21208
T-25	PT21209
T-27	PT21210
T-30	PT21211

⅜-in. drive

T-40	PT21212
T-45	PT21213
T-47	PT21214
T-50	PT21215
T-55	PT21216

½-in. drive

T60	PT21217
-----	---------

Clip rail PT21222



Star Bit Sockets – Solid

12-Piece on Clip Rail

TY27444

¼-in. drive

T-10	PT21303
T-15	PT21304
T-20	PT21305
T-25	PT21306
T-27	PT21307
T-30	PT21308

⅜-in. drive

T-40	PT21309
T-45	PT21310
T-47	PT21311
T-50	PT21312
T-55	PT21313

½-in. drive

T60	PT21314
-----	---------

Clip rail PT21222



Clip Rails

Feature

- Keeps sockets organized and segregated by size of drive and fastener
- Easy snap on and off of sockets

Three sizes available

TY24365 ¼-in. socket

TY24366 ⅜-in. socket

TY24367 ½-in. socket



Wobble Extension Sets

TY19978

⅜-in. drive

3-in.	PT18573
6-in.	PT18574
10-in.	PT18575

TY19979

½-in. drive

3-in.	PT18576
6-in.	PT18577
10-in.	PT18578

SAE and Metric 1/4-inch and 3/8-inch Drive Tool Set

TY24369

The 72-piece SAE and metric tool set contains the most commonly used tools for work around the home, shop and garage, and comes conveniently packaged in a zippered vinyl carrying case.

SAE Sockets

1/4-IN. DRIVE

6-pt. regular socket

3/16-in.	PT17025
7/32-in.	PT17026
1/4-in.	PT17027
9/32-in.	PT17028
5/16-in.	PT17029
3/8-in.	PT17031
7/16-in.	PT17032
1/2-in.	PT17033
7/8-in.	PT17045

3/8-IN. DRIVE

12-pt. regular socket

3/8-in.	PT17037
7/16-in.	PT17038
1/2-in.	PT17039
9/16-in.	PT17040
5/8-in.	PT17041
11/16-in.	PT17042
3/4-in.	PT17043
13/16-in.	PT17044

12-pt. deep socket

3/8-in.	PT17048
7/16-in.	PT17145
1/2-in.	PT17049
9/16-in.	PT17050

Metric Sockets

1/4-IN. DRIVE

6-pt. regular socket

4mm	PT18599
5mm	PT18018
6mm	PT18019
7mm	PT18020
8mm	PT18021
9mm	PT18022
10mm	PT18023
11mm	PT18024
12mm	PT18025
13mm	PT18026

3/8-IN. DRIVE

12-pt. regular socket

9mm	PT16647
10mm	PT16648
11mm	PT16649
12mm	PT16650
13mm	PT16651
14mm	PT16652
15mm	PT16653
16mm	PT16654
17mm	PT16655
18mm	PT16656

12-pt. deep socket

12mm	PT18006
13mm	PT18007
14mm	PT18008
15mm	PT18009

Accessories for 3/8-in. drive

3/8-in. ratchet	PT20975
3-in. extension	PT17056
3/8-in. adapter	PT19986
5/8-in. spark-plug socket	

Magnetic spinner handle PT19983

Magnetic drive socket adapter –
for spinner handle PT19984

10-piece hex bits in boot PT19985

10-piece bit set PT18030

6-in. adjustable wrench TY19945



SAE and Metric 1/4-inch and 3/8-inch Socket and Wrench Tool Set

TY19996

The 70-piece SAE and metric socket/wrench tool set comes packaged in a convenient blow-molded carrying case and features an improved locking mechanism. The tools are made of chrome-vanadium steel and nickel-chrome plated for high-torque strength – perfect for home and vehicle owners.

SAE Sockets

1/4-IN. DRIVE

6-pt. regular socket

5/32-in.	PT18935
3/16-in.	PT17025
7/32-in.	PT17026
1/4-in.	PT17027
9/32-in.	PT17028
5/16-in.	PT17029
11/32-in.	PT17030
3/8-in.	PT17031
7/16-in.	PT17032
1/2-in.	PT17033

6-pt. deep socket

7/32-in.	PT18929
1/4-in.	PT18930
9/32-in.	PT18931
5/16-in.	PT18932
11/32-in.	PT18933

3/8-IN. DRIVE

12-pt. regular socket

3/8-in.	PT17037
7/16-in.	PT17038
1/2-in.	PT17039
9/16-in.	PT17040
5/8-in.	PT17041
11/16-in.	PT17042
3/4-in.	PT17043
13/16-in.	PT17044

12-pt. deep socket

3/8-in.	PT17048
7/16-in.	PT17145
1/2-in.	PT17049
9/16-in.	PT17050
5/8-in.	PT17051
11/16-in.	PT17052

Metric Sockets

1/4-IN. DRIVE

6-pt. regular socket

4mm	PT18599
5mm	PT18018
6mm	PT18019
7mm	PT18020
8mm	PT18021
9mm	PT18022
10mm	PT18023
11mm	PT18024
12mm	PT18025
13mm	PT18026

3/8-IN. DRIVE

12-pt. regular socket

10mm	PT16648
11mm	PT16649
12mm	PT16650
13mm	PT16651
14mm	PT16652
15mm	PT16653
19mm	PT16657

Accessories for 1/4-in. drive

2-in. extension bar	PT17034
Spinner handle	PT18600
Ratchet	PT20970
Bit holder	PT18934

Accessories for 3/8-in. drive

5/8-in. spark-plug socket	
3-in. extension bar	PT17056
Ratchet	PT20975

Combination Wrenches

3/8-in.	PT16584
7/16-in.	PT16585
1/2-in.	PT16586
9/16-in.	PT16587
5/8-in.	PT16588

Hex bits – 3, 4, 5, 6 PT18030

Flat bits – 4, 5.5, 7

Phillips bits – 1, 2, 3

Blow-molded case PT19088



WRENCHES

Full-Polished Combination Wrench Sets

Feature

- Nickel chrome-plated and fully polished to resist rust and corrosion
- A unique radius-corner design, that allows contact with the flats, rather than with the points – providing additional torque strength and minimizes fastener rounding
- Full-polished wrenches are longer than satin-finish wrenches to ensure higher torque and greater reach
- Stronger – providing less chance of slipping – ideal for frozen or rusted fasteners
- Hot-drop forged from chrome-vanadium alloy steel – ensure maximum strength and toughness
- Limited lifetime warranty

*All wrenches meet or exceed ANSI standards and specifications.



SAE Wrench Set
6-Piece Set in Pouch
TY27695

12-pt. combination wrench

1 ⁵ / ₁₆ -in.	TY27627	1 ¹ / ₂ -in.	TY27630
1 ³ / ₈ -in.	TY27628	1 ⁵ / ₈ -in.	TY27631
1 ⁷ / ₁₆ -in.	TY27629	1 ¹¹ / ₁₆ -in.	TY27632

Pouch PT21322



SAE Wrench Set
4-Piece Set in Pouch
TY27696

12-pt. combination wrench

1 ³ / ₄ -in.	TY27633
1 ¹³ / ₁₆ -in.	TY27634
1 ⁷ / ₈ -in.	TY27635
2-in.	TY27636

Pouch PT21323

HAND TOOLS



Metric Wrench Set
6-Piece Set in Pouch
TY27697

12-pt. combination wrench

33mm	TY27637	36mm	TY27640
34mm	TY27638	38mm	TY27641
35mm	TY27639	41mm	TY27642

Pouch PT21324



SAE Wrenches

Ten sizes available to match job requirement

TY27627	1 ⁵ / ₁₆ -in.	TY27632	1 ¹¹ / ₁₆ -in.
TY27628	1 ³ / ₈ -in.	TY27633	1 ³ / ₄ -in.
TY27629	1 ⁷ / ₁₆ -in.	TY27634	1 ¹³ / ₁₆ -in.
TY27630	1 ¹ / ₂ -in.	TY27635	1 ⁷ / ₈ -in.
TY27631	1 ⁵ / ₈ -in.	TY27636	2-in.



Metric Wrench Set
3-Piece Set in Pouch
TY27698

12-pt. combination wrench

42mm	TY27643
46mm	TY27644
50mm	TY27645

Pouch PT21325



Metric Wrenches

Nine sizes available to match job requirement

TY27637	33mm	TY27642	41mm
TY27638	34mm	TY27643	42mm
TY27639	35mm	TY27644	46mm
TY27640	36mm	TY27645	50mm
TY27641	38mm		



SAE Wrench Set
 14-Piece Set in Pouch
 TY19976

12-pt. combination wrench

3/8-in.	PT18539	1 3/16-in.	PT18546
7/16-in.	PT18540	7/8-in.	PT18547
1/2-in.	PT18541	1 5/16-in.	PT18548
9/16-in.	PT18542	1-in.	PT18549
5/8-in.	PT18543	1 1/16-in.	PT18550
1 1/16-in.	PT18544	1 1/8-in.	PT18551
3/4-in.	PT18545	1 1/4-in.	PT18552

Pouch PT20847



Metric Wrench Set
 20-Piece Set in Pouch
 TY19977

12-pt. combination wrench

7mm	PT18553	17mm	PT18563
8mm	PT18554	18mm	PT18564
9mm	PT18555	19mm	PT18565
10mm	PT18556	20mm	PT18566
11mm	PT18557	21mm	PT18567
12mm	PT18558	22mm	PT18568
13mm	PT18559	24mm	PT18569
14mm	PT18560	27mm	PT18570
15mm	PT18561	30mm	PT18571
16mm	PT18562	32mm	PT18572

Pouch PT20846



Satin-Finish Combination Wrench Sets

Feature

- Hot-drop forged from molybdenum alloy steel to ensure maximum strength and toughness
- High torque strength on both ends – exceeds federal specifications by a wide margin
- Chamfered tops and openings allow an easier fit and placement onto fasteners
- Open ends are angled 15° to permit use on hex fasteners in as little as 30° of turning space
- 12-point box-end opening permits use where only a 15° swing space is available
- Satin-finish, nickel-chrome plated to resist rust and corrosion
- Set includes grommeted cloth pouch with double straps to protect your investment
- Limited lifetime warranty



SAE Wrench Set 14-Piece Set in Pouch TY19918

12-pt. combination wrench

3/8-in.	PT16584	13/16-in.	PT16593
7/16-in.	PT16585	7/8-in.	PT16591
1/2-in.	PT16586	15/16-in.	PT16592
9/16-in.	PT16587	1-in.	PT16594
5/8-in.	PT16588	1 1/16-in.	PT16595
11/16-in.	PT16589	1 1/8-in.	PT16596
3/4-in.	PT16590	1 1/4-in.	PT16597

Pouch PT20845



Metric Wrench Set 10-Piece Set in Pouch TY19922

12-pt. combination wrench

10mm	PT16623	15mm	PT16628
11mm	PT16624	16mm	PT16629
12mm	PT16625	17mm	PT16630
13mm	PT16626	18mm	PT16631
14mm	PT16627	19mm	PT16632

Pouch PT20843



Metric Wrench Set 11-Piece Set in Pouch TY19923

12-pt. combination wrench

20mm	PT16633	26mm	PT16639
21mm	PT16634	27mm	PT16640
22mm	PT16635	28mm	PT16641
23mm	PT16636	30mm	PT16642
24mm	PT16637	32mm	PT16643
25mm	PT16638		

Pouch PT20844

Combination Ratcheting Wrench Sets

Feature

- 5° or arc-swing and low profile – allows access to fasteners in tight spaces and areas where other wrenches may not be effective
- No need to remove wrench from fastener while tightening or loosening
- Full-polish, chrome-vanadium finish – wipes clean
- Interactive packaging encourages consumers to try it out – demonstrates the ratchet-action feature
- Ideal for professionals and general do-it-yourself applications
- Limited lifetime warranty



SAE Wrench Set
7-Piece Set with Rack
TY25249

Set includes

3/8-in.	PT20676	5/8-in.	PT20680
7/16-in.	PT20677	1 1/16-in.	PT20681
1/2-in.	PT20678	3/4-in.	PT20682
9/16-in.	PT20679		



Metric Wrench Set
7-Piece Set with Rack
TY25250

Set includes

10mm	PT20683	15mm	PT20687
12mm	PT20684	16mm	PT20688
13mm	PT20685	18mm	PT20689
14mm	PT20686		



Combination Offset Reversible Ratcheting Wrench Sets

Feature

- 72-tooth ratchet design for fast performance
- Less than 5° sweep for use in tight spots
- 15° offset design meets ANSI specifications
- Durable chrome-vanadium steel construction
- Limited lifetime warranty



SAE Wrench Set
7-Piece Set with Rack
TY26998

Set includes

3/8-in.	PT21228	5/8-in.	PT21232
7/16-in.	PT21229	1 1/16-in.	PT21233
1/2-in.	PT21230	3/4-in.	PT21234
9/16-in.	PT21231		

Metric Wrench Set
7-Piece Set with Rack
TY26999

Set includes

10mm	PT21235	15mm	PT21239
12mm	PT21236	16mm	PT21240
13mm	PT21237	18mm	PT21241
14mm	PT21238		



Adjustable Wrenches

Feature

- Made from chrome-vanadium steel for extra strength and quality appearance
- Drop-forged handle and jaw maximizes toughness
- Lifetime warranty

Six sizes available to match job requirement

TY19945 6-in.

TY19946 8-in.

TY19947 10-in.

TY19948 12-in.

TY19981 15-in.

TY19982 18-in.

9-Piece Hex Wrench Sets

Feature

- Made from high-quality alloy steel to precise dimensions
- Ball arm allows for additional offset for hard-to-reach fasteners – up to 25°
- Black-oxide rust resistant finish – keys housed in plastic holder
- 90-day warranty



SAE Hex Wrench Set

9-Piece Set with Holder

TY24512

Set includes

0.028-in.	$\frac{3}{32}$ -in.
0.035-in.	$\frac{7}{64}$ -in.
0.050-in.	$\frac{1}{8}$ -in.
$\frac{1}{16}$ -in.	$\frac{9}{64}$ -in.
$\frac{5}{64}$ -in.	



Metric Hex Wrench Set

9-Piece Set with Holder

TY24513

Set includes

0.7mm	2.5mm
0.9mm	3mm
1.3mm	4mm
1.5mm	4.5mm
2mm	



30-Piece SAE and Metric Hex Wrench Set

TY19995

- Made of chrome-vanadium steel with black-oxide finish
- SAE and metric combination set allows for choice of size
- 90-day warranty

SAE hex wrench sizes

.028-in.
.035-in.
.050-in.
 $\frac{1}{16}$ -in.
 $\frac{5}{64}$ -in.
 $\frac{3}{32}$ -in.
 $\frac{7}{64}$ -in.
 $\frac{1}{8}$ -in.
 $\frac{9}{64}$ -in.
 $\frac{5}{32}$ -in.
 $\frac{3}{16}$ -in.
 $\frac{7}{32}$ -in.
 $\frac{1}{4}$ -in.
 $\frac{5}{16}$ -in.
 $\frac{3}{8}$ -in.

Metric hex wrench sizes

0.7mm
0.9mm
1.3mm
1.5mm
2mm
2.5mm
3mm
4mm
4.5mm
5mm
5.5mm
6mm
7mm
8mm
10mm



PLIERS AND CUTTING TOOLS



Knipex Plier-Wrenches

- Versatility of a wrench and convenience of a pliers
- Smooth, parallel jaws
- 1¾-in. capacity (10-in.) or 1⅜-in. capacity (7-in.)
- Ratchet-like cam mechanism
- Limited lifetime warranty

Five sizes available

TY27447 5-in.

TY25405 7-in.

TY25404 10-in.

TY25869 12-in.

TY27448 16-in.

10-inch Fence Pliers

TY19980

- Cut, bend, twist, and crimp wire
- Can be used as a pliers, hammer or staple puller
- Vinyl-coated handles provide extra grip and strength
- Drop-forged for strength
- Limited lifetime warranty



Knipex 9-inch High Leverage Combination Pliers

TY24234

- A high-leverage, eccentric joint
- Additional serrated, round jaws for gripping small pieces
- Designed to cut ⅝-in. hard wire and ⅜-in. piano wire
- Long cutting edges for use on thicker cables
- Induction-hardened cutting edges provide excellent strength
- Oil-hardened, tempered and polished head
- 2-color dual-component comfort grips with specially designed movement and gripping zones
- Limited lifetime warranty



Knipex Alligator Pliers

- Self-gripping on pipes, bolts and nuts by means of pushing downwards
- 7-position, box-joint adjustment provides grip-size flexibility; 11-position on TY27353
- Cast stop prevents finger pinching
- Made of strong, chrome-vanadium steel
- Ergonomically designed for comfort
- Limited lifetime warranty

Four sizes available

TY25018 7-in. long – for ⅛-in. to 1¼-in. pipes, ⅜-in. to 1⅛-in. nuts

TY25019 10-in. long – for ⅛-in. to 1½-in. pipes, ¼-in. to 1⅜-in. nuts

TY25020 12-in. long – for ⅛-in. to 1⅞-in. pipes, ⅜-in. to 1⅞-in. nuts

TY27353 16-in. long – for ⅛-in. to 3½-in.



10-inch Curved Jaw Locking Pliers

TY26823

- Heat-treated, nickel-plated alloy steel
- Smooth grip handle
- Wire cutter
- Limited lifetime warranty

11-inch C-clamp Locking Pliers

TY26824

- Heat-treated, nickel-plated alloy steel
- Smooth grip handle
- For welding sheet metal or woodwork
- Limited lifetime warranty



Knipex Electrician's Pliers

TY25407

- Grips, strips, cuts, and crimps in a single tool
- Strips 10, 12 and 14 AWG wire
- Convenient 6¼-in. size
- Limited lifetime warranty



External and Internal Snap-Ring Pliers

- Solid-forged, one-piece tips
- Ergonomically designed for excellent handling and comfort
- Limited lifetime warranty

Seven sizes available

TY26283 Inside – 90°, ring range 5/16-in. to 1-in.

TY26284 5½-in. long – external, 0.03-in. diameter, ring range 1/8-in. to 3/4-in.

TY26287 Outside – 90°, ring range 3/8-in. to 1-in.

TY27349 6½-in. long – internal angled, for rings 19 to 60mm in diameter

TY27350 6½-in. long – external angled, for rings 19 to 60mm in diameter

TY27351 9-in. long – internal straight, for rings 40 to 100mm in diameter

TY27352 9-in. long – external straight, for rings 40 to 100mm in diameter

HAND TOOLS



4-Piece Snap-Ring Pliers Set – Light Duty

TY24515

- Pliers are 6-in. long
- Internal range is $\frac{3}{8}$ -in. to 2-in.
- External range is $\frac{1}{4}$ -in. to 2-in.
- Snap-ring plier tips are easy-shift type for internal and external applications
- 90-day warranty

Set Includes

4 interchangeable tips – 90°, 45° angled and 2 sizes of straight tips



4-Piece Snap-Ring Pliers Set – Heavy Duty

TY26280

- Solid-forged construction provides maximum strength and durability
- Solid-style, precision-shaped and sized nonslip tips provide a positive grip and reduce slipping
- Made of chrome-vanadium steel and feature oil-hardened polished heads
- Plastic-coated handles provide a solid handgrip
- Limited lifetime warranty

Set Includes

Inside, straight snap-ring pliers –

$\frac{1}{2}$ -in. to 1-in. bore size TY26281

Internal, 7-in. long, 0.70-in. diameter snap-ring pliers –

$\frac{3}{4}$ -in. to 2 $\frac{1}{2}$ -in. bore size TY26282

Outside, straight snap-ring pliers –

$\frac{3}{8}$ -in. to 1-in. bore size TY26285

External, 7-in. long, .070-in. diameter snap-ring pliers –

$\frac{3}{4}$ -in. to 2 $\frac{3}{8}$ -in. bore size TY26286



Knipex Long-Nose Pliers with Cutters

- Flat-round jaws and serrated gripping surfaces
- Can be used for cutting hard and soft wire
- Cutting edges are separately induction-hardened for extra strength
- Made of vanadium steel and feature an oil-hardened, polished head
- Comfortable, plastic-coated handles provide a secure grip
- Limited lifetime warranty

Two sizes available

TY24236 8-in. long-nose

TY25408 5½-in. long-nose



Long-Reach Pliers Set

TY24362

- Provides extra reach for fasteners in restricted areas
- 45° and 90° angles provide additional access
- Textured grip for comfort
- Parallel teeth provide a firm grip of fasteners and other objects
- Limited lifetime warranty

3-piece set includes

11-in. straight pliers PT19987

10⁵/₈-in. 45° pliers PT19988

9³/₄-in. 90° pliers PT19989



Knipex Cobra Pliers

- Acts as water-pump pliers, locking pliers and pipe wrench in one – very versatile tool, with a positive-locking, push-button mechanism
- Made from chrome-vanadium, electric steel and oil-hardened – gripped tooth hardness is rated at 60HRC
- Feature polished heads and plastic-coated handles for comfort and an excellent grip
- Unique jaw design eliminates nut burring – pliers are self-gripping
- Cast stop prevents finger pinching
- Memory button retains jaw adjustment for repetitive jobs
- Limited lifetime warranty

Six sizes available

TY27002 5-in. – for 1/8-in. to 1-in. pipes and nuts

TY24498 7-in. – for 1/8-in. to 1 1/4-in. pipes, 1/4-in. to 1 1/8-in. nuts

TY24233 10-in. locking – for 1/8-in. to 1 5/8-in. pipes, 1/4-in. to 1 7/16-in. nuts

TY24499 12-in. – for 1/8-in. to 2-in. pipes, 9/32-in. to 1 7/8-in. nuts

TY25406 16-in. – for 1/8-in. to 3-in. pipes, 3/8-in. to 2 9/16-in. nuts

TY25868 22-in. – for 1/8-in. to 4-in. pipes, 3/8-in. to 4 5/8-in. nuts



Heavy-Duty Rib-Joint Pliers

- Ideal for rods, pipes, hoses and cable connections, and many other mechanical devices
- Multiple slip-joint with self-locking jaw opening that will not slip
- Long, durable handles provide powerful leverage to grip around round, flat, square, and hex objects
- Limited lifetime warranty

Four sizes available

TY25032 10-in. rib-joint pliers – 1 1/4-in., 2 1/8-in. and 7/16-in. joint dimensions

TY25033 12-in. rib-joint pliers – 1 5/8-in., 2 3/4-in. and 1/2-in. joint dimensions

TY27459 16-in. rib-joint pliers – 11 slip-joint adjustment levels

TY27460 20-in. rib-joint pliers – 14 slip-joint adjustment levels



Slip-Joint Pliers

Feature

- Used as standard pliers, but with a wider jaw capacity – a pivot point provides for two widths of jaw opening
- Knurled handles provide a secure grip – double-dipped textured vinyl grips add comfort and control
- Machine-hardened for extra strength and durability
- 2-position lobster-claw jaws
- Shear-type cutter
- Drop-forged alloy steel with full-polished finish and laser-mark branded
- Heat-treated for strength and durability
- Made in U.S.A.
- Limited lifetime warranty



Combination

Four sizes available

- TY25031 8-in. knurled handle
- TY26344 8-in. gripped handle
- TY26347 6½-in. gripped handle



Angle-Nose

TY26345 6¾-in. gripped handle – 3 adjustments



Solid-Joint Pliers

Feature

- Machine-hardened for extra strength and durability
- Solid joint positioned close to the cutting edge, making it easier to cut heavy wire with less user fatigue
- Drop-forged alloy steel with full-polished finish and laser-mark branded
- Heat-treated for strength and durability
- Made in U.S.A.
- Limited lifetime warranty



Diagonal Pliers

Two sizes available

TY27357 7-in. heavy-duty diagonal pliers with grip

TY27362 6-in. diagonal pliers with grip



Lineman Pliers

Two sizes available

TY27359 6-in. Lineman's pliers with grip

TY27360 8-in. Lineman's pliers with grip



Needle Nose Pliers

TY27358 6-in. side cutter needle nose pliers with grip

Knipex Heavy-Duty Cutters

Feature

- The same features as professional-grade cutters
- Polished heads and plastic-coated handles
- Drop-forged, oil hardened chrome-vanadium steel
- Induction-hardened cutting edges – 64HRc Rockwell Hardness – for high-tensile strength wire
- Every single cutter is factory inspected and tested for maximum performance
- Limited lifetime warranty



7-inch TwinForce Diagonal Cutter
TY27348

- Cuts 50% easier with increased power achieved with the featured dual-hinge design that allows you to reopen the jaws in order to reapply the tool when cutting thicker material up to $\frac{3}{16}$ -in.



8-inch Angled Mini Bolt Cutter
TY27446

- Compound lever-action design for ongoing, repetitive cutting of up to $\frac{3}{16}$ -in. hard wire and $\frac{1}{8}$ -in. piano wire with minimal effort
- Preferred cutter of some of the busiest fencing crews around the world



8-inch Lever-Action Center Cutter
TY24501

- Compound lever-action design for ongoing, repetitive cutting of up to $\frac{3}{16}$ -in. hard wire and $\frac{1}{8}$ -in. piano wire with minimal effort
- Preferred cutter of some of the busiest fencing crews around the world



8-inch Ultra-High Leverage End Cutter
TY24500

- A unique, angled offset-head design that is combined with extreme bevel cutting edges aid the toughest end-cutting jobs, such as protruding 20 penny nails, small bolts and rivets
- Can cut up to $\frac{9}{64}$ -in. hard wire and $\frac{1}{8}$ -in. piano wire

HAND TOOLS



8-inch High-Leverage Diagonal Cutters

- Fixed, forged-on axle rivet provides extreme smoothness, perfect alignment of the cutting edges, and a long service life
- Designed to cut up to 1/8-in. hard wire and 3/32-in. piano wire – 2,200-N tensile strength
- TY25257 features knuckle-saving 12° angled head for easier access in situations that require hand clearance rather than normal cut

Two styles available

TY24235 Straight head

TY25257 12° angled head



10-inch High-Leverage Diagonal Cutter

TY27001

- High-leverage diagonal cutter that requires 21 percent less effort
- High cutting performance due to optimum coordination of cutting edge angle, transmission ratio and ergonomic handled shape
- Precision cutting edges that are induction hardened to approximately 64HRC
- Forged-on axle offers a high-level of stability for heavy use and long service life
- Can cut medium hard wire up to 4.6mm, hard wire up to 3.5mm and piano wire with maximum 3.0mm



10-inch Angled High-Leverage Diagonal Cutter

TY27449

- High-leverage diagonal cutter that requires 21 percent less effort
- High cutting performance due to optimum coordination of cutting edge angle, transmission ratio and ergonomic handled shape
- Precision cutting edges that are induction hardened to approximately 64HRC
- Forged-on axle offers a high-level of stability for heavy use and long service life
- Can cut medium hard wire up to 4.6mm, hard wire up to 3.5mm and piano wire with maximum 3.0mm



Knipex 6 1/2-inch Cable/Wire Shears

TY25017

- Sharp, shear-type cutting action
- A capacity of 5/8-in. Romex® and 12-3 cable – not suited for steel cable
- Ergonomically designed for excellent handling and comfort
- Adjustable bearing nut for convenient re-honing of the blades
- Limited lifetime warranty



Aviation Tin Snips

TY27445

- Compound lever action for more cutting power
- Chrome molybdenum steel construction
- Induction hardened serrated cutting edges, stay sharper longer
- Cuts up to 1.2mm (18-gauge) cold-rolled steel or 0.7mm (22-gauge) stainless-steel
- 90-day warranty



7-inch Multi-Purpose Shears

TY26561

- Precision-ground and hardened stainless-steel for long-lasting sharp-cutting edge
- Spring-loaded polypropylene handles with ergonomic over-molded TPR grips
- 90-day warranty



6-inch Wire Stripper/ Cutter

TY27003

- 5-in-1 precise cutter and stripper with comfortable handle – wire stripper, wire cutter, steel wire cutter, pliers and wire loop
- Precision-ground cutting surface for clean cuts – 10-24 AWG
- 90-day warranty



24-inch Bolt Cutter

TY27646

- Center cut $\frac{3}{8}$ -in. maximum hard (42RC), $\frac{1}{2}$ -in. soft (15RC)
- Hardened alloy steel jaws for long blade life
- Single-step internal cam mechanism keeps the cutting blades precisely aligned
- 90-day warranty

HAND TOOLS



Folding Utility Knife

TY26567

- Quick change blade
- Easy one hand opening
- 90-day warranty



Leather Pliers/Tool Pouch

TY25989

- Keeps pliers and small tools within easy reach
- Fits belt up to 2-in. wide
- Includes John Deere logo
- 90-day warranty



Leather Deluxe Pliers Holster

TY27450

- Keeps pliers and small tools within easy reach
- Fits belt up to 2½-in. wide
- Includes John Deere logo
- 90-day warranty



Leather Pliers Holster with Strap

TY27813

- Keeps pliers and small tools within easy reach
- Holster with strap keeps tools secure
- Riveted stress points
- Fits belt up to 2½-in. wide
- Includes John Deere logo
- 90-day warranty



Leather Shears Holster with Strap

TY27814

- Keeps pliers and small tools within easy reach
- Holster with strap keeps tools secure
- Riveted stress points
- Fits belt up to 2½-in. wide
- Includes John Deere logo
- 90-day warranty

SCREWDRIVERS AND NUT DRIVERS

Screwdrivers

Feature

- Professional-quality craftsmanship
- Chrome-vanadium steel blades for extra strength and long life
- Easy-to-see yellow and black grip provide extra torque capabilities
- Holes in the handles provide increased leverage and a hanging option
- Limited lifetime warranty



Individual Screwdrivers

Two models available

TY24799 3/8-in. x 8-in. flat-tip, round-shaft screwdriver

TY24802 #3 x 6-in. Phillips head screwdriver



5-Piece Screwdriver Set

TY24803

5-piece set includes

- | | |
|--|---------|
| 5/16-in. x 6-in. flat-tip, round-shaft screwdriver | TY24798 |
| 7/32-in. x 4-in. flat-tip, round-shaft screwdriver | TY24797 |
| 3/32-in. x 3-in. flat-tip, round-shaft screwdriver | TY24796 |
| #1 x 3-in. Phillips head screwdriver | TY24800 |
| #2 x 4-in. Phillips head screwdriver | TY24801 |



8-Piece Screwdriver Set

TY26565

- An ergonomic handle design
- Precision-ground tips
- Magnetized tips for holding screws
- 90-day warranty

Set includes

4 Phillips head

#3 x 6-in. PT21152

#2 x 4-in. PT21153

#1 x 3-in. PT21154

1 stubby PT21155

4 flat-tip head

5/16-in. x 6-in. PT21148

1/16-in. x 4-in. PT21149

3/16-in. x 3-in. PT21150

3/16-in. stubby PT21151



3-Piece Long Screwdriver Set

TY27811

- An ergonomic handle design
- Precision-ground tips
- Magnetized tips for holding screws
- 90-day warranty

Set includes

2 Phillips head

#2 x 12-in. PT100005

#3 x 12-in. PT100006

1 flat-tip head

5/16-in. x 12-in. PT100007

HAND TOOLS



6-in-1 Screwdriver

TY26693

- An ergonomic design with comfort-grip handle reduces fatigue and improves load factors
- An easy-to-see yellow and black soft grip
- Chrome vanadium bits with magnetic tips
- 90-day warranty

Includes

Screwdriver

Phillips head #1 and #2 bits

1/4-in. and 3/16-in. slotted bits

1/4-in. and 5/16-in. nut-driver tips



SAE 7-Piece Nut-Driver Set

TY26566

- An ergonomic handle design with 5-in. shafts
- 90-day warranty

Set includes

1/4-in.	PT21156	3/8-in.	PT21160
9/32-in.	PT21157	7/16-in.	PT21161
5/16-in.	PT21158	1/2-in.	PT21162
11/32-in.	PT21159		



Metric 7-Piece Nut-Driver Set

TY27030

- An ergonomic handle for maximum comfort and torque
- Chrome vanadium, hollow shaft, 5-in. length
- 90-day warranty

Set includes

6mm	PT21244	11mm	PT21248
7mm	PT21245	12mm	PT21249
8mm	PT21246	13mm	PT21250
10mm	PT21247		

MEASURING AND STRIKING TOOLS



Pro-Series Tape Measures

- These industrial-grade Pro-Series tape measures feature true readings, positive locks, oversized numbers, blade bumpers, and 3-rivet end hooks
- Abrasion and corrosion-resistant, and last up to 10 times longer than most competitors' tape measures
- They are all accuracy tested and meet or exceed General Services Administration (GSA) specifications
- 90-day warranty

Five sizes available

TY24785 3/4-in. x 12-ft. tape measure

TY25386 1-in. x 30-ft. tape measure

TY25387 3/4-in. x 16-ft. tape measure

TY25388 1-in. x 25-ft. tape measure

TY25389 1-in. x 26-ft. (8mm) English/metric tape measure



2-Piece Tape Measure Set

TY27000

- Standard and metric measurements
- Tough impact-resistant plastic case
- Comfortable sleeve for better grip and comfort
- Easy-to-use tape markings
- Hands-free blade lock
- 90-day warranty

Set includes

5/8-in. x 12-ft. tape measure PT21242

1-in. x 25-ft. tape measure PT21243



HAND TOOLS



Cold-Cutting Flat Chisels

- Forged from the finest alloy-tool steel to absorb and translate blows into smooth strokes
- Carefully heat-treated steel provides maximum strength
- Excellent for rough-cutting cold metal
- 90-day warranty

Three sizes available

TY25023 3/8-in. (10mm) edge – 5-in. (127mm) flat chisel

TY25024 5/8-in. (16mm) edge – 6-in. (152mm) flat chisel

TY25025 7/8-in. (22mm) edge – 7½-in. (191mm) flat chisel



Dead-Blow Hammer

SW69000JD

- Controlled impact reduces impact vibration and rebound
- Soft face is non-marking and non-sparking
- 2-lb.
- 90-day warranty



Steel-Head Fiberglass Hammers

- Forged steel head is induction heat-treated for optimal hardness
- Epoxy bonded head will not come off handle
- Polypropylene outer shell prevents breakage due to overstrike
- Fiberglass core reduces vibration and adds strength
- Grypton™ grip is cushioned, slip-proof and moisture-absorbing
- Limited lifetime warranty

Two styles available

SW69028JD Ball-peen hammer – 20-oz.

SW69200JD Claw hammer – 21-oz.



Steel-Head Wood-Handled Hammers

- Smooth face hammer
- Forged and tempered steel alloy head is polished and varnished
- Wood handle with compact structure provides high impact resistance
- Natural laquer on wood handle protects it from corrosion
- 90-day warranty

Three styles available

TY27622 Curved claw hammer – 16-oz.

TY27623 Straight claw hammer – 16-oz.

TY27624 Ball-peen hammer – 16-oz.



2-lb. Sledge Hammer

TY27625

- Forged and tempered steel alloy head is polished and varnished
- Wood handle with compact structure provides high impact resistance
- Natural laquer on wood handle protects it from corrosion
- 2-lb.
- 90-day warranty



4-lb. Sledge Hammer

TY27699

- Polished face
- Handle carved from American hickory
- Forged steel head - hardened and tempered
- Complies with ANSI specifications for hand tools
- 16-in. handle length
- 4-lb. head weight
- 90-day warranty

HAND TOOLS



Solid Rubber Mallet

TY27626

- Soft face is non-sparking
- Wood handle with compact structure provides high impact resistance
- Natural laquer on wood handle protects it from corrosion
- 2-lb.
- 90-day warranty

Center Punch

TY25028

- 4-in. to 12-in. (114mm) center punch
- Use for marking hole centers or enlarging prick punch marks to guide a drill point
- 90-day warranty



Pin Punches

- Made from hardened steel for extra strength and durability
- Use for driving a pin out of an assembly
- 90-day warranty

Six sizes available

TY25026 1/8-in. (3mm) pin punch

TY25027 3/16-in. (5mm) pin punch

TY26332 1/4-in. (6mm) pin punch

TY26333 5/32-in. (4mm) pin punch

TY26334 1/4-in. (6mm) solid punch

TY26335 1/8-in. (3mm) solid punch

TY26343 Pouch



6-Piece Pin and Punch Set

TY26342

- Forged from high-carbon-tool steel
- Hardened the entire length with tempered strike ends
- Cutting edges are rough sharpened and resharpened
- Pin punches have a reverse taper, eliminating the punch sticking in the work piece
- All punches are laser-marked
- 90-day warranty

PIPE WRENCHES



14-inch Pipe Wrench

TY27647

- 2-in. jaw capacity
- Straight pipe wrench has a sturdy, ductile-iron housing and an I-beam handle
- Full floating forged hook jaw, featuring self-cleaning threads with replaceable hook and heel jaws
- Limited lifetime warranty

14-in. Pipe Wrench Accessories/Replacement Parts

PT21315 Hook jaw

PT21316 Knurl nut

PT21317 Heel jaw and pin



24-inch Pipe Wrench

TY27648

- 3-in. jaw capacity
- Straight pipe wrench has a sturdy, ductile-iron housing and an I-beam handle
- Full floating forged hook jaw, featuring self-cleaning threads with replaceable hook and heel jaws
- Limited lifetime warranty

24-in. Pipe Wrench Accessories/Replacement Parts

PT21318 Hook jaw

PT21319 Knurl nut

PT21320 Heel jaw and pin



PRY BARS AND HACKSAWS



Pry Bars

- The blades of these screwdriver-type pry bars are heat-treated the entire length for strength and most are curved for extra leverage
- Cellulose-acetate handles are designed for comfort and secure grip
- Tips have a 23° angle for better leverage and are wide for maximum contact
- Shanks are square for strength and create a larger surface that eliminates slippage
- 90-day warranty

Seven lengths available

TY26147 25-in. straight

TY26148 17-in. curved

TY26149 25-in. curved

TY26150 31-in. curved

TY26151 36-in. curved

TY26152 8-in. curved

TY26153 12-in. curved



Curved Blade Pry Bars

- Use for countless prying, positioning and aligning jobs
- Long, tapered point quickly aligns holes for the insertion of a pin or bolt
- Expertly forged and heat-treated bar features uniform hardness and durability
- 90-day warranty

Two lengths available

TY25029 16-in. (406mm)

TY27684 18-in. (457mm)



Heavy-Duty Hacksaw

TY24816

- Features a strong, well-balanced design, a comfortable handle, and a deep-cutting, sturdy frame with excellent strength-to-weight ratio
- Excellent for the professional user
- Accommodates 12-in. (300mm saw blades)
- Limited lifetime warranty

Hacksaw Replacement Blades

- Each blade has 24-teeth per inch and is 12-in. long
- No warranty on blades

Two styles available

TY24817 High-carbon steel blade – Flexible, for general purpose cutting, cuts mild steel, cast iron, aluminum, and copper

TY24818 High-speed steel blade – Flexible, for cutting ¼-in. to 1-in., cuts thick pipe, angle iron, steel bars, drill rods, and cast iron

WORKSHOP ACCESSORIES



Mini Magnetic Parts Tray

TY26557

- A 4½-in. stainless-steel dish
- Ability to hold small parts, hardware and fasteners
- Sticks to any ferrous-metal surface
- 90-day warranty



Large Magnetic Parts Tray

TY26694

- Stainless-steel construction
- Powerful dual industrial-strength magnets
- Magnetic base is coated with nonslip rubber for added weight and stability
- Wide, shallow tray allows easy access and good visibility for small pieces
- 9½-in. x 5½-in.
- 90-day warranty



Telescoping Magnetic

TY26558

- Powerful 5-lb. shielded magnet
- Extends from 6½-in. to over 28-in.
- Ideal for retrieving dropped parts, tools and fasteners
- 90-day warranty



Individual Double-Edge Screw-Extractors

- Patented double-edge design for nonslip right or left-turn removal
- Strong chrome-vanadium steel construction
- 90-day warranty

Two sizes available

TY25409 Size 6 – use for bolts 7/8-in. to 1-in.

TY25410 Size 7 – use for bolts 1-in. to 1¾-in.

HAND TOOLS



5-Piece Double-Edge Screw-Extractor Set

TY25411

- Patented double-edge design for nonslip right or left-turn removal
- Convenient vinyl carrying case – not shown
- 90-day warranty

Set includes

Size 1 PT20719
Size 2 PT20720
Size 3 PT20721
Size 4 PT20722
Size 5 PT20723
Pouch PT20724



1¼-inch Stainless-Steel Scraper

TY26560

- Rigid stainless-steel go-through blade with metal-capped handle for strength
- Comfortable TPR handle for maximum grip
- 90-day warranty



Gasket Scrapers

- Dropped forged
- Black oxide finish
- 90-day warranty

Three sizes available

TY26337 1-in. gasket scraper, 11-in. length

TY26338 1½-in. gasket scraper, 11-in. length

TY26339 1-in. full pull gasket scraper, 10-in. length



Tire-Pressure Gauges

- Gauges are calibrated in PSI, and TY15178 also includes kPa for worldwide application and usage
- Chrome-plated for long-lasting appearance
- Includes deflator tips, plug black and red on white square nylon bars that are easy to read
- 90-day warranty

Four sizes available

TY15178 20 to 120-lb. air-pressure air gauge

TY15493 1 to 20-lb. air-pressure tire gauge

TY25244 Dial tire gauge

TY27812 Dial tire gauge with 12-in. hose - dual foot chuck

TY25245 0 to 45-PSI tire-gauge display - 10 pencil-style air/liquid tire gauges



4-Piece Precision Pick Hook Set

TY26997

- Ideal tool for assembly, repair or removal of small parts
- Heat-treated chrome vanadium steel shafts
- Cushioned non-slips grips for extra control
- Knurled shaft grip area allows for precise work
- 90-day warranty

Set includes

- Straight pick PT21224
- Curved hook PT21226
- Offset hook PT21225
- 90° hook PT21227



4-Piece Jumbo Pick and Hook Set

TY26559

- Rigid steel go-through shafts with metal-capped handles for strength
- 90-day warranty

Set includes

- Curved hook PT21163
- 90° hook PT21164
- Offset hook PT21165
- Straight pick PT21166

HAND TOOLS



Stainless-Steel Multi-Tool

TY26825

- Heavy-duty, stainless-steel with rubber grips
- Carrying pouch included
- 90-day warranty

12 tools in 1 – consisting of

- | | |
|--------------------------|-----------------------|
| – 3 hex socket wrenches | – 3 flat screwdrivers |
| – 1 Phillips screwdriver | – 1 pin/scratch awl |
| – 1 scissors | – 1 saw |
| – 1 pliers | – 1 wire cutter |
| – 1 knife | – 1 file |
| – 1 bottle opener | – 1 ruler – 6-in. |



Folding Pocket Knife

TY26564

- 6-in. open / 3½-in. closed
- Black-satin finish with anodized green trim
- Thumb tab on blade for easy opening
- Handy belt clip
- Serrated edge
- 90-day warranty



Folding Pocket Knives

- 7¹¹/₁₆-in. open / 4½-in. closed
- Premium, highly durable stainless-steel blade
- Thermoplastic handle with contoured finger groove for an extra grip
- Folding style with locking blade
- Thumb tab on blade for easy opening
- Handy belt clip
- 90-day warranty

Two styles available

TY27276 Black

TY27277 Green

Heavy-Duty Bench Vises

- Heavy-duty cast steel construction
- 360° swivel base
- Replaceable, serrated locking faces
- Double lock-downs
- Extra-deep throats to handle large work pieces
- Straight-line pull transmits lamping load over entire vise body
- Enclosed box frame and steel channel
- Three mounting pivots
- Large anvil area
- 10-year warranty

Two sizes available

BV5-J 5-in.

BV8-J 8-in.



Heavy-Duty LED Flashlights

Feature

- Adjustable beam allows you to go from flood to spot beams by single-hand sliding operation
- Slim and lightweight for work or everyday tasks
- LED bulb never needs to be replaced
- Limited lifetime warranty



20 Lumens Battery Powered Flashlight

ET-3909-J

- Simple one-click operation – ON-OFF
- 23 hour run time
- Built-in clip for easy attachment
- Water resistant
- 2 x 1.5V AAA alkaline batteries included



370 Lumens Battery Powered Flashlight

ET-3910-J

- 5-mode electronic switch – TURBO-HIGH-MEDIUM-LOW-8Hz FLASHING
- 2 hour run time
- 2m drop-resistant (6.6 ft.)
- IP6X dust resistant
- IPX6 high pressure water resistant
- Carrying strap included
- 4 x 1.5V AAA alkaline batteries included



450 Lumens Battery Powered Flashlight

ET-3911-J

- 5-mode electronic switch – TURBO-HIGH-MEDIUM-LOW-8Hz FLASHING
- 1 hour run time
- 2m drop-resistant (6.6 ft.)
- IP6X dust resistant
- IPX6 high pressure water resistant
- Carrying strap included
- 4 x 1.5V AAA alkaline batteries included



110 Lumens Lithium-ion Rechargeable Flashlight

ET-3912-J

- 3-mode electronic switch – HIGH-MEDIUM-LOW
- 2 hour run time
- 2m drop-resistant (6.6 ft.)
- Concealed charging jack with direct plug to recharge by Micro USB cable, included
- Magnet on tail cap and built-in clip for easy attachment
- LED indicator shows charging status
- Circuit protection prevents battery from over-charging or over-discharging
- 1 x 3.7V 320 mAh 10440 Lithium-ion rechargeable battery included



1000 Lumens Lithium-ion Rechargeable Flashlight

ET-3913-J

- 4-mode electronic switch – HIGH-MEDIUM-LOW-FLASH
- 4 hour run time
- 2m drop-resistant (6.6 ft.)
- Concealed charging jack with direct plug to recharge by Micro USB cable, included
- LED indicator shows battery capacity and charging status
- Circuit protection prevents battery from over-charging or over-discharging
- IP6X dust resistant
- IPX6 high pressure water resistant
- Carrying strap included
- 1 x 3.7V 2600 mAh 18650 Lithium-ion rechargeable battery included





Extension Cord Sets

- Resistant to oils, greases and chemicals
- 1/3 lighter than competitive products
- 2 1/2 times greater abrasion resistance than competitive cords
- Stays flexible at 67°F
- Flame, water, sunlight, tear, and puncture-resistant
- Grounded – UL-approved, meets OSHA specifications
- Designed for outdoor use

Nine sizes available

- ET-1100-J** 25-ft. 16/3 SJEOOW, 300V, UL/OSHA
- ET-1101-J** 50-ft. 16/3 SJEOOW, 300V, UL/OSHA
- ET-1102-J** 100-ft. 16/3 SJEOOW, 300V, UL/OSHA
- ET-1103-J** 25-ft. 14/3 SJEOOW, 300V, UL/OSHA
- ET-1104-J** 50-ft. 14/3 SJEOOW, 300V, UL/OSHA
- ET-1105-J** 100-ft. 14/3 SJEOOW, 300V, UL/OSHA
- ET-1106-J** 25-ft. 12/3 SJEOOW, 300V, UL/OSHA
- ET-1107-J** 50-ft. 12/3 SJEOOW, 300V, UL/OSHA
- ET-1108-J** 100-ft. 12/3 SJEOOW, 300V, UL/OSHA
- ET-1109-J** 2-ft. 12/3 SEOW, 600V, Tri-source with lighted end



30-foot Cord Reel

ET-1113-J

- 16/3 SJT cord with Tri-connector plug
- UL-approved for safety
- Tough metal housing
- 360° top-swivel hook
- Patented case provides extra durability during prolonged use
- Three-outlet receptacle
- 1-year warranty



50-foot Cord Reel

ET-1114-J

- 12/3 SJT cord with Tri-connector plug
- UL-approved for safety
- Three-outlet block with "power-on" indicator light
- Circuit breaker built into reel
- Special mechanism allows cord to be pulled out from any angle
- Flame-resistant ABS housing
- Mounting bracket can easily be mounted on a wall, ceiling or bench
- 15A circuit breaker
- 1-year warranty



Trouble Light

ET-1110-J

- 25-ft. long, 16/3 SJTW
- Includes metal guard, switch and grounded outlet
- 100-watt incandescent work light
- On/off switch

SHOP TOWELS

John Deere shop towels are made with 40-percent post consumer waste, meeting the EPA Comprehensive Procurement Guidelines for recycled content. They are soft on the hands and face yet built to be durable and won't fall apart even when wet. Convenient, disposable towels for general cleanup, great for grease and oil absorption. Available in pop-up cardboard cartons, center-pull plastic bucket or in handy rolls.

Center-Pull Cardboard Carton

- 10 x 12-in. sheet size
- 200 count/box
- Designed for convenient use and dispensing

DRC4223



Center-Pull Plastic Bucket & Refill

- 10 x 12-in. sheet size
- 200 count/bucket
- Center-pull keeps your towels clean and dry until they are needed
- Bucket includes an on/off dispensing bracket

DRC4221
Bucket

DRC4222
Bucket Refill



Roll

- 11 x 9.4-in. sheet size
- 56 count/roll
- Tear off only what you need

DRC4601
Single Roll

DRC4602
Single Roll, 3 pack



ABSORBENTS

The absorbent mats will handle everything that may leak, drip or spill on any shop floor. Save time and money by eliminating the need to mop or sweep up spills, plus these mats are cheaper to use than old fashioned floor dry/kitty litter.

Features

- Absorbs oil, water, grease, transmission fluids, hydraulic fluids, antifreeze/coolants, and many other fluids
- For use in general maintenance, around hose machines, and wherever fluids may leak or spill
- Works great in fields dealing with leaks, drips or spills
- Made with 80% recycled cellulose fibers for superior absorbency
- More cost effective than oil-based polypropylene sorbent mats
- Class A fire retardant (lab tested per ASTM E84)

Single-Layer Pads

- 15 x 19-in. sheet size
- 100 count/case

ABS2860



Perforated Roll

- 28.5-in. x 150-ft. roll
- 15 x 19-in. sheet size/perforated
- Sold by the roll

ABS2861





36-in. Road Box
AC-3615RB-G



TOOL STORAGE

Known for their rugged design and heavy-duty construction, the John Deere tool chests, truckboxes and jobsite boxes will keep your tools safely locked away when not in use and easily accessible when you need them. Offering a wide choice of styles, these boxes will help keep you organized while protecting your investment.

Storage equipment is as important as the tools that are used to get the job done and the heavy-duty, powder-coated steel construction of the John Deere tool chests and cabinets make them some of the most popular on the market today. Offering all the space and compartments you need to keep your tools organized and available where and when you need them.



Jobsite Box
AC-3619JB

TOOL CHESTS AND CABINETS

Heavy-duty, powder-coated steel construction makes the John Deere tool chests and cabinets some of the most popular tool storage units on the market today. Raise and release drawer fronts keep drawers closed and secure when moving. Available in a variety of sizes and with a 5-year warranty.

Features

- Extra heavy-duty ball-bearing drawer slides with a load rating of 100-lb. per pair
- Latching drawer slides with lift-to-open feature
- Secure keyed locking system
- Grommet in till for power cord
- Fold-over drawer side for increased strength

46-inch x 24-inch Tool Chest

- 6 drawers
- Gas struts lid support
- 600-lb. total drawer load capacity

AC-4624CH-G



46-inch x 24-inch Cabinet

- 9 drawers
- 5-in. x 2-in. easy-rolling polyurethane casters with a 2000-lb. load rating
- Tubular steel handle
- 1200-lb. total drawer load capacity

AC-4624CB-G



46-in. Tool Chest and Cabinet in Green Powder-Coat shown stacked

46-inch x 24-inch Tool Chest

- 6 drawers
- Gas struts lid support
- 600-lb. total drawer load capacity

AC-4624CH-B



46-inch x 24-inch Cabinet

- 9 drawers
- 5-in. x 2-in. easy-rolling polyurethane casters with a 2000-lb. load rating
- Tubular steel handle
- 1200-lb. total drawer load capacity

AC-4624CB-B



46-in. Tool Chest and Cabinet in Black Powder-Coat shown stacked

TOOL STORAGE

56-inch Tool Chest

- 8 drawers
- Gas struts lid support
- 800-lb. total drawer load capacity

AC-5625CH-G



56-inch Top Hutch

- 24.6-in. depth
- Adjustable shelf
- Gas struts lid support
- Peg board back

AC-5624H-G

56-inch Cabinet

- 10 drawers
- 24.6-in. cabinet depth for longer tools
- Dual drawer slides on deep drawers
- Extra-deep bottom drawers for larger tools
- Rugged 1-in. hardwood work-surface
- 5-in. x 2-in. easy-rolling polyurethane casters with a 2000-lb. load rating
- Tubular steel handle
- 1300-lb. total drawer load capacity

AC-5625CB-G



AC-5624H-G and AC-5625CB-G,
56-in. Top Hutch and Cabinet
shown stacked

72-inch Top Hutch

- 24-in. depth
- Adjustable shelf
- Gas struts lid support
- Peg board back

AC-7224H-G

72-inch Cabinet

- 15 drawers
- 24-in. cabinet depth for longer tools
- Dual drawer slides on deep drawers
- Extra-deep bottom drawers for larger tools
- Rugged 1-inch stainless-steel work-surface
- 6-in. x 2-in. easy-rolling polyurethane casters with a 3960-lb. load rating
- Tubular steel handles
- 1800-lb. total drawer load capacity

AC-7224CB-G



72-in. Top Hutch and Cabinet shown stacked

Tool Chest and Cabinet Specifications

Model No.	Toolbox Top (in.)	Cabinet Bottom (in.)	Drawers	Total Drawer Load Capacity (lb.)	Casters (in.)	WxDxH (in.)	Net Weight (lb.)
AC-4624CH-G	46	–	6	600	–	46x24x22.5	135
AC-4624CH-B	46	–	6	600	–	46x24x22.5	135
AC-4624CB-G	–	46	9	1200	5x2	46x24x41	216
AC-4624CB-B	–	46	9	1200	5x2	46x24x41	216
AC-5625CH-G	56	–	8	800	–	55.3x24.2x22.4	208
AC-5624H-G	56	–	0	–	–	56x23.75x21	105
AC-5625CB-G	–	56	10	1300	5x2	56x24.6x41	373
AC-7224H-G	72	–	0	–	–	72x24x21	120
AC-7224CB-G	–	72	15	1800	6x2	72x24x41	562

HAND CARRY TOOLBOXES

John Deere hand carry toolboxes are tough and rugged, built of the highest-quality materials for long wear life and durability. Each offers a 1-year warranty.

Features

- Durable powder-coat finish
- Heavy-duty rust resistant latches
- Removable yellow tray

20-inch Toolbox

- Powder-coat green finish
- Plastic handle

HR-20HB-1



20-inch Toolbox

- Powder-coat green finish with yellow lid
- Plastic handle

HR-20HB-2



Hand Carry Toolbox Specifications

Model No.	Volume (cu. in.)	Main Dimension WxDxH (in.)	Net Weight (lb.)
HR-20HB-1	1688	20x8x9	10
HR-20HB-2	1688	20x8x9	10

ROAD BOXES

The 36-inch, 5-drawer John Deere road box is available in a green or black powder-coat finish and is the perfect solution for keeping your tools organized when you are on the move. Its secured keyed locking system with over-molded keys and the reinforced drop-front security panel with gasket closure protects your tools from weather and theft. The 16-gauge cradle provides extra reinforcement for day-to-day usage on and off the worksite. Each offers a 2 year limited warranty.

36-inch Road Box

- 5 drawers
- Full-extension friction slides
- Gas struts lid supports
- Heavy-duty steel frame with lifting points
- Reinforced drawer edges
- Bottom-skid rails provide additional reinforcement and strength – allowing access for a forklift
- Precut drawer liners cushion and protect tools

AC-3615RB-G

Green Powder-Coat

AC-3615RB-B

Black Powder-Coat



Road Box Specifications

Model No.	Volume (cu. in.)	Main Dimension WxDxH (in.)	Net Weight (lb.)
AC-3615RB-G	8,464	36.25x20x27.75	179
AC-3615RB-B	8,464	36.25x20x27.75	179

TRIANGLE TOOLBOXES

The unique design of the triangle toolboxes keeps your tools, whether metric or SAE, in place and organized when the lid is secured and you are transporting them in the back of your pickup or John Deere Gator. These distinctive toolboxes allow you to see your entire tool inventory at a glance. Available in three sizes, either with a durable powder-coat black or green finish, with a 5-year limited warranty.

Features

- Weather stripping creates a tight seal against dust and moisture
- 16-gauge steel with welded seams for added strength
- Gas strut raises lid when unlatched for easy tool access
- Sturdy side handles make moving the box easy
- Secure keyed locking system

23-inch Box

Durable green or black powder-coat texture finish

AC-2313TB-G

Green Powder-Coat

AC-2313TB-B

Black Powder-Coat



30-inch Box

Durable green or black powder-coat texture finish

AC-3015TB-G

Green Powder-Coat

AC-3015TB-B

Black Powder-Coat



36-inch Box

Durable green or black powder-coat texture finish

AC-3617TB-G

Green Powder-Coat

AC-3617TB-B

Black Powder-Coat



Triangle Toolbox Specifications

Model No.	Volume (cu. in.)	Main Dimension WxDxH (in.)	Net Weight (lb.)
AC-2313TB-B	2890	22.5x13x14.125	42
AC-2313TB-G	2890	22.5x13x14.125	42
AC-3015TB-G	5260	30x15x18	69
AC-3015TB-B	5260	30x15x18	69
AC-3617TB-G	13120	36x17.5x22	93
AC-3617TB-B	13120	36x17.5x22	93

GATOR™ TOOLBOXES

Gator™ toolboxes feature two hinged lids with extra-wide lip openings for easy tool access, convenient tie-down points on the top of the box, and come in two sizes. They also include two lids that are hinged in the middle to allow access to your tools from both sides of the vehicle and key locks to guard against theft - 2 keys are provided. Make sure to check with your dealer for proper sizing. Offers a 1-year warranty.

46-inch Toolbox

Is compatible with standard, traditional and high-performance Gator Utility Vehicles, fits TS and HPX models and all 2009 and prior Gator models

LPMB4611GB



50-inch Toolbox

Is compatible with Gator Utility Vehicles equipped with the all new deluxe cargo box, fits 2010 Gator models and newer, except TS and HPX models

LP 19886-G
Green Powder-Coat

LP 19886
Black Powder-Coat



Gator™ Toolbox Specifications

Model No.	Box Dimension LxWxH (in.)	Lid Dimension LxW (in.)	Box with Rack Dimension H (in.)	Net Weight (lb.)
LPMB4611GB	46x11.2x15	51.25x12.25	17.5	72
LP 19886	50x11.25x15	57.76x12.25	17.5	77
LP 19886-G	50x11.25x15	57.76x12.25	17.5	77

UTILITY CHESTS

John Deere utility chests are constructed of heavy-gauge Brite-Tread aluminum.

9.6 Cubic Feet

- 15-gauge
- Sized to fit most SUVs, medium and full-sized trucks
- Stainless-steel paddle handles can be opened from either side
- Foam filled lid provides superior strength
- Portable tool tote
- Fits between pickup wheel wells

AC-4650UC



11.0 Cubic Feet

- 15-gauge
- Sized to fit almost any truck
- Portable tool tray
- Fully insulated lid for strength
- Stainless-steel paddle handles
- Lockable

AC-5600UC



Utility Chest Specifications

Model No.	Volume (cu. ft.)	Main Dimension LxWxH (in.)	Net Weight (lb.)
AC-4650UC	9.6	46.5x19x18.125	45
AC-5600UC	11.0	56x19.063x18.125	51

CROSSOVER TRUCKBOXES

John Deere crossover truckboxes fit full-sized truck beds, come in either a single lid or a dual lid design, and are constructed of durable 15-gauge Brite-Tread aluminum and powder-coated black aluminum. They feature a fully insulated crown lid design for extra strength and the single lid boxes include a portable tool tray and 1-year limited warranty.

Features

- Stainless-steel paddle handles offer convenient access to storage and can be opened from either side
- Key locks provide security
- Gas cylinders lift and hold the lid out of the way
- Full-length piano hinges
- Self-centering latch strikers never need adjustment and close tightly (patent pending)
- Half pan support design reinforces the lid for superior rigidity
- Closed cell foam gasket prevents water and other unwanted elements from getting inside the box

Single Lid

AC-6975TB-A



Low Profile Single Lid

AC-6975TB-LP



Dual Lid

Two lids hinged in the middle provide easy access from either side of the truck

AC-6975TB-2



Single Lid

AC-6975TBB-A



Low Profile Single Lid

AC-6975TBB-LP



Single Lid - Deep

AC-6975TBB-D



Dual Lid

Two lids hinged in the middle provide easy access from either side of the truck

AC-6975TBB-2



Crossover Truckbox Specifications

Model No.	Finish	Volume (cu. ft.)	Main Dimension LxWxH (in.)	Secondary Dimension LxWxH (in.)	Bed Rail Dimension WxH (in.)	Net Weight (lb.)
AC-6975TB-A	Brite-Tread aluminum	9.4	69.75x20.5x14.75	60.75x17.25x8.813	–	56
AC-6975TB-LP	Brite-Tread aluminum	8.0	69.75x20x12.2	60.75x17.125x2	1.44x7.2	71
AC-6975TB-2	Brite-Tread aluminum	9.67	69.75x20.5x14.75	60.75x17.25x8.813	–	56
AC-6975TBB-A	Powder-coat black aluminum	9.4	69.75x20x12.2	60.75x17.125x7.2	–	56
AC-6975TBB-LP	Powder-coat black aluminum	8.0	69.75x20x12.2	60.75x17.125x10.2	2x10.2	71
AC-6975TBB-D	Powder-coat black aluminum	14.67	69.75x20x18.25	60.75x17.25x13.25	–	63
AC-6975TBB-2	Powder-coat black aluminum	9.67	69.75x20x12.2	60.75x17.125x7.2	–	56

ADDITIONAL BOXES

Single Lid Side-Mount Toolbox

- Fits 8-ft. bed with crossover truckbox
- Fits 6-ft. bed without crossover truckbox
- Stainless-steel paddle handles
- Constructed from heavy-gauge Brite-Tread aluminum
- Foam-filled lid provides superior strength
- Full-length piano hinges
- Gas cylinders lift and hold the lid out of the way



AC-6000SB

Liquid Transfer Tank

- L-shaped transfer tank
- Center baffles, lockable cap and coupler for venting
- Drainage plug
- Fits under the crossover truckboxes

For private use and not for commercial applications of interstate commerce

Tanks do not meet Title 49 of the United States Federal Register governing transportation



AC-6000FT

Brite-Tread aluminum

AC-6000FTS

Steel



Miscellaneous Box Specifications

Model No.	Volume	Main Dimension LxWxH (in.)	Secondary Dimension H (in.)	Net Weight (lb.)
AC-6000SB	4.0 cu. ft.	60x15x11	–	49
AC-6000FTS	111-gallon	56.25x32.75x25.5	9	180
AC-6000FT	111-gallon	56.25x32.75x25.5	9	110

FLOOR AND SKID MATS

Protect your truck inside and out with our heavy-duty rubber floor or skid mats. Trimmable to fit most vehicles.

Floor Mats

- All-weather tread mats
- Powder-coated Brite-Tread aluminum inserts
- Cleated back to prevent sliding
- Sold in pairs

AW-9000-J



Rubber Truckbed Skid Mat

- 46-in. x 94-in.
- Universal size fits most full-size pickups between the wheel wells

AW-7070-J



JOBSITE BOXES

All John Deere Jobsite Boxes feature heavy-duty solid steel construction with full arc-welded seams and a durable powder-coat finish. The reinforced support skids make the boxes easy to transport while offering added protection. Add tool trays to increase your inside storage space and casters for easy movement to make these jobsite boxes the ultimate tool storage for your worksite. Offers a 1-year warranty.

Features

- Special powder-coat finish for extreme durability
- Tamper-proof designed padlock protectors, Master Lock #5 padlock recommended
- Full-length concealed hinges are riveted for additional protection and strength
- Special locking lid support locks the lid open to prevent accidental closings
- Pre-drilled skids for easy caster installation
- Convenient swing-out handles for additional mobility

Four sizes available

AC-3619JB 6.33 cu. ft.

AC-4822JB 13.44 cu. ft.

AC-4830JB 25.00 cu. ft.

AC-6024JB 21.66 cu. ft.



Jobsite Box Specifications

Model No.	Volume (cu. ft.)	Dimension LxWxH (in.)	Net Weight (lb.)
AC-3619JB	6.33	36x19x16	81
AC-4822JB	13.44	48x22x22	123
AC-4830JB	25.0	48x30x30	168
AC-6024JB	21.66	60x24x26	169

Jobsite Box Accessories

Tool Trays

- Helps sort and organize your tools
- Increases inside storage space
- Offers a convenient transportable tray for jobs where you need only select tools

Sizes Available

MX-19J 16½ x 11 x 3-in., 7-lb., 1 tray fits AC-3619JB

MX-22J 19½ x 11 x 3-in., 9-lb., 2 trays fit AC-4822JB

MX-30J 27½ x 11 x 3-in., 12-lb., 2 trays fit AC-4830JB

MX-24J 21½ x 11 x 3-in., 8-lb., 2 trays fit AC-6024JB



Casters

- Caster sets include two ridged and two swivels with locks
- Casters are industrial strength with ball-bearing wheels that allow for smooth rolling over rough surfaces
- When mobility is a must, casters are the solution

Sizes Available

MX-4 4-in., rated for 700-lb.

MX-5 5-in., rated for 800-lb.

MX-6 6-in., rated for 800-lb.



GRILLS

Known for their first-class product, Weber partnered with John Deere to offer a line of charcoal and gas grills and cookers. Whether you are at your favorite tailgating event or entertaining in your back yard, you'll find just the right grill for every occasion.

It's a fact – Americans love to grill. And now, John Deere is offering four ways to create anything your appetite can cook up. Featuring 363-square inches of wide-open grilling space, you'll love our charcoal grill. The Q-2200 hand carry gas grill is the perfect companion for your next tailgating event. Finally, check out the Smokey Mountain cooker smoker. It's large enough to cook an abundance of meat and other mouthwatering goodies.



Smokey Mountain
Cooker Smoker
HR-SMC185



One-Touch™
Charcoal Grill
HR-CGS225



GRILLS

Whether you prefer LP-gas, charcoal or smokers, John Deere grills offer everything you need to fire up some seriously big tastes and can do it all whether you are grilling up burgers or a 7-course meal. If you are serious about grilling and want a grill that delivers high, even heat that gives you a lot of control, then these are the grills for you. Each comes with some of the best features you can buy and a tremendous amount of versatility. And, John Deere backs them up with outstanding warranties.

Q-2200 Hand-Carry LP Gas Grill

- 280-sq. in. total cooking area
- Stainless-steel burner
- Infinite control burner valves
- Electronic ignition system
- Two folding work tables with tool hooks
- Built-in lid thermostat
- Runs on disposable 14.1 or 16.4-oz. LP cylinders, sold separately
- 5-year aluminum castings warranty



HR-LPQ2200

One-Touch™ Charcoal Grill

- 363-sq. in. total cooking area
- Porcelain-enameled bowl and lid
- Plated steel cooking grates
- Aluminized steel One-Touch™ cleaning system
- No-rust aluminum ash catcher
- No-rust aluminum vents
- 2 durable all weather wheels

HR-CGS225



Smokey Mountain Cooker Smoker

- 481-sq. in. total cooking area
- (2) 18½-in. plated steel cooking grates
- Premium cover included
- Porcelain-enameled bowl, lid and water pan adds steam to the smoking process
- 4 rust-resistant aluminum vents
- Rust-resistant aluminum fuel door
- Glass-reinforced nylon handle
- Built-in lid thermometer for easy monitoring of the smoker's temperature

HR-SMC185



Grill Specifications

Model No.	Total Cooking Area (sq. in.)	BTU per hour Input	HxWxD (in.)	Net Weight (lb.)
HR-LPQ2200	280	12,000	26x51.4x25.1*	43 lb.
HR-CGS225	363	–	38.5x25x22.5	32 lb.
HR-SMC185	481	–	41x19x21	47 lb.

*Height is with lid open and width is with tables out.

GRILLS

Rolling Cart/Table

- Folding cart can be used as a grill stand or as a caddy to transport the Q-2200 LP gas grill
- Collapsible trolley
- Cart easily unfolds

Fits model
HR-LPQ2200

67-0043-J



Adapter Hose

- 6-ft. hose with fittings to connect to a standard 20-lb. LP tank
- Connects to Type I (791) cylinder connection

Fits model
HR-LPQ2200

67-0013-J



Grill Covers

- Heavy-duty all-weather cover
- Made from 600 denier vinyl-backed polyester
- To keep your grill clean, dry and looking like new
- Velcro™ straps to secure cover
- Water resistant

Two sizes available

- Dimensions: 46.5 x 21.5 x 58-in., fits model HR-LPS210: 67-0001-J
- Dimensions: 47.5 x 23 x 67.5-in., fits models HR-LPG310 and HR-NGG310: 67-0002-J



Grill Accessories



Grid lifter 67-0004-J



Oil mister 67-0006-J



Low-propane sensor 67-0009-J



Universal Q-light 67-0005-J



3-piece deluxe grilling set
Includes tongs, spatula and fork
67-0010-J



For all John Deere Home and Workshop Products and Accessories,
visit: www.JohnDeere.com/HomeandWorkshop